File 344:Chinese Patents Abs Aug 1985-2003/Nov
         (c) 2003 European Patent Office
File 347:JAPIO Oct 1976-2003/Aug(Updated 031202)
         (c) 2003 JPO & JAPIO
File 350:Derwent WPIX 1963-2003/UD,UM &UP=200380
         (c) 2003 Thomson Derwent
?ds

Set	Items	Description
S1	75881	(IMAGE OR IMAGES OR PHOTO OR PHOTOS OR PHOTOGRAPH OR PHOTO-GRAPHS OR PICTURE OR PICTURES)(3N)(DB OR DATABASE? OR DATAFILE? OR DATA()(BASE? OR FILE?) OR NETWORK? OR STORED OR STORING)
S2	10767	(REPRESENT? OR SAMPLE OR SAMPLES OR DESCRIPT? OR DISPLAY? - OR DEPICT? OR VISUALI?)(5N)(PRODUCT OR PRODUCTS)
S3	1698	(AVAILABLE OR AVAILABILITY)(5N)(PRODUCT OR PRODUCTS)
S4	407	(ORDER OR ORDERS OR ORDERING OR PURCHAS?)(5N)(SCREENSAVER? OR CALENDAR? OR MUG OR MUGS OR CUP OR CUPS OR (TEE OR T)()(SH-IRT OR SHIRTS))
S5	750	CONTEXTUAL()INTERACTION? OR METADATA?
S6	26	AU=(LINKER, D? OR LINKER D? OR LAND S? OR LAND S? OR GELFU-SO, J? OR GELFUSO J? OR RADCLIFFE W? OR RADCLIFFE W?)
S7	15	S1(5N)S2
S8	9	S7 AND IC=G06F
S9	2	S1 AND S3
S10	2	S9 NOT S8
S11	6	S1 AND S4
S12	5	S11 NOT (S8 OR S10)
S13	0	(S8 OR S10 OR S12) AND S5
S14	2	S6 AND S1

?

Search performed by Sylvia Keys   December 15, 2003

DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014345037   **Image available**
WPI Acc No: 2002-165740/200222
XRPX Acc No: N02-126565
  Distribution of products associated with image **through network,**
  involves automatically employing content of interaction to determine
  image **to be displayed**
Patent Assignee: CORBIS CORP (CORB-N)
Inventor: GELFUSO J V; **LAND S D** ; LINKER D L; RADCLIFFE W T
Number of Countries: 025 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
EP 1130525   A2   20010905 EP 2000850151   A   20000922 200222   B

Priority Applications (No Type Date): US 2000517134 A 20000302
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
EP 1130525   A2 E 29 G06F-017/30
    Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
    LI LT LU LV MC MK NL PT RO SE SI

  Distribution of products associated with image **through network,**
  involves automatically employing content of interaction to determine
  image **to be displayed**
...Inventor: **LAND S D**

Abstract (Basic):
...   Content of an interaction is employed to determine an **image** to
  be displayed, which is associated with the information indicating each
  product that is available for use with the **image** . Information
  associated with **image** is employed automatically to generate a
  representation of each product. The **image** and the representation is
  automatically displayed in a page for providing available product on
  selection.
...   a) Computer readable medium with instruction for enabling the
  product associated with **image** to be provided to user...

...b) System for enabling a product associated with an **image** to be
  provided to user...

...c) Method for enabling a product associated with an **image** to be
  ordered over a network...

...d) System for placing an order for a product associated with **image**
  over a network...

...For enabling product associated with **image** to be provided to user such
  as picture, electronic postcard, poster, slide show, puzzle, screen
  saver, calendar, cup, stationary, invitation, presentation, also for
  browsing relational database with products or **image** based searches,
  subscription pushes and hyperlinks that are associated with products or
  categories...

...Enables updated information related to new products and **images** to be
  sent to a subscriber. Enables the presentation of available **images**
  and related products to be customized according to the type of
  subscription that a user...
...Title Terms: **IMAGE ;**

DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

07330434   **Image available**
INFORMATION DATA DELIVERY SYSTEM

PUB. NO.:   2002-198923 [JP 2002198923 A]
PUBLISHED: July 12, 2002 (20020712)
INVENTOR(s):   NAGATOMO HIDEO
               KOBAYASHI TOSHIHIKO
APPLICANT(s): TOPPAN PRINTING CO LTD
APPL. NO.:   2000-398194 [JP 2000398194]
FILED: December 27, 2000 (20001227)
INTL CLASS: H04H-001/00; **G06F-017/30** ; H04N-007/20

ABSTRACT
PROBLEM TO BE SOLVED: To provide a data base delivery system to efficiently
deliver, product information data such as **product** names and prices to be
displayed as electronic **picture** , from a **database** server.

SOLUTION: This system is provided with a data server DS which stores an
information database S and broadcasts by reception of ID data, and one or
more electronic picture displaying means A (Al to An) which mounts a data
selection reception means to select and receive predetermined information
data Sa from the database S which is broadcasted by the reception of ID
data via a satellite relay transmitting means L from the data server DS.
Based on the predetermined information data Sa delivered to the electronic
picture displaying means A from the data server DS by selection reception
direction of the data selection reception means T, the electronic picture
displaying means A outputs information as picture on a display.

DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

07139431   **Image available**
PRODUCT SELLING METHOD, RECORDING MEDIUM RECORDING PROGRAM OF THE METHOD,
AND PRODUCT SELLING SYSTEM

PUB. NO.:   2002-007803 [JP 2002007803 A]
PUBLISHED: January 11, 2002 (20020111)
INVENTOR(s):   MURAYAMA HIROKI
               HISAMATSU KOJI
               OKUZAWA YOSHIO
               TAKEDA NAOHIRO
               ARAKI NOBUYUKI
APPLICANT(s): NEC CORP
APPL. NO.:   2000-187551 [JP 2000187551]
FILED: June 19, 2000 (20000619)
INTL CLASS: **G06F-017/60** ; **G06F-017/30**

ABSTRACT
PROBLEM TO BE SOLVED: To provide a product sales method capable of
purchasing a product even when a user has only an image about the product
which the user intends to buy.
SOLUTION: A keyword of the product which the user intends to buy is
inputted in a user terminal, and the image for selecting the product stored
in the product selection database is retrieved based on the keyword. A
product sales center server prepares an image for selecting the product
based on the retrieved image for selecting the product, and displays it on
the user terminal. An image similar to the product intended to be purchased

is selected among the ⬤isplayed screen for selecting ⬤e **product** , and the **product image stored** in the product database is retrieved based on the selected image. The product sales center server prepares the screen for selecting the product based on the retrieved product image, and displays it on the user terminal. The product desired to buy is selected among the displayed product images and the processing is completed after the purchasing procedure.

8/5/3   (Item 3 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

04004695   **Image available**
DISPLAY DEVICE FOR PRODUCT EXHIBITION STATE

PUB. NO.:   04-369795 [JP 4369795 A]
PUBLISHED: December 22, 1992 (19921222)
INVENTOR(s):   SHIMAMOTO KAZUO
                 TOI OSAMU
APPLICANT(s):   KAO CORP [000091] (A Japanese Company or Corporation), JP
                 (Japan)
APPL. NO.:   03-174422 [JP 91174422]
FILED: June 18, 1991 (19910618)
INTL CLASS: [5] G07G-001/12; **G06F-015/21** ; **G06F-015/24**
JAPIO CLASS: 29.4 (PRECISION INSTRUMENTS -- Business Machines); 45.4
                 (INFORMATION PROCESSING -- Computer Applications)
JAPIO KEYWORD:R107 (INFORMATION PROCESSING -- OCR & OMR Optical Readers)
JOURNAL: Section: P, Section No. 1538, Vol. 17, No. 254, Pg. 73, May
                 19, 1993 (19930519)

ABSTRACT
PURPOSE: To easily display a present product exhibition state by providing a handy terminal reading the bar code of a product and a means converting bar code data into a mark showing the kind of the product.

CONSTITUTION: A product picture data storing means 3 stores a still photograph taken by a camera 1 at every product as picture data. The handy terminal 9 reads the bar code of the product and bar code data is converted into the mark showing the kind of the product by a lap top input means 10. Next, the kind and number of the exhibited product are inputted to a memory 4 by being given reading order in accordance with the arrangement of the shelf. A program control means 8 combines product picture data and exhibition shelf arrangement **picture** data which are **stored** in the product **picture** data **storing** means 3 and a **product** exhibition state **display** buffer 2 in accordance with the kind and amount of the product inputted in the memory so as to display the state where the product is exhibited in the exhibition shelf in a monitor 6 as a picture.

8/5/4   (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015650638   **Image available**
WPI Acc No: 2003-712821/200367
XRPX Acc No: N03-570133
  Video clipping capturing method for television commerce, involves digitizing frame of received video image to store in memory, and invoking software to perform a function related to product
Patent Assignee: MACRAE D B (MACR-I); WESTBERG T E (WEST-I); GEMSTAR DEV
  CORP (GEMS-N)
Inventor: MACRAE D B; WESTBERG T E

Search performed by Sylvia Keys   December 15, 2003

Number of Countries: 102 Number of Patents: 002
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 200373758	A1	20030904	WO 2003US6081	A	20030227	200367	B
US 20030177497	A1	20030918	US 2002360377	P	20020227	200368	
			US 2003375931	A	20030227		

Priority Applications (No Type Date): US 2002360377 P 20020227; US 2003375931 A 20030227
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
WO 200373758 A1 E 39 H04N-007/025
    Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA
    CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN
    IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ
    OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG US UZ VC VN
    YU ZA ZM ZW
    Designated States (Regional): AT BE BG CH CY CZ DE DK EA EE ES FI FR GB
    GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT SD SE SI SK SL SZ TR TZ UG
    ZM ZW
US 20030177497 A1   G06F-003/00   Provisional application US 2002360377

Abstract (Basic): WO 200373758 A1
    NOVELTY - The method involves receiving a video image and a trigger
in a video signal. A frame of the received video image is digitized in
responsive to the received trigger. The digitized image is stored in a
memory, and the downloaded software is invoked to perform a function
related to a **product** . The **stored   image** is **displayed** in response
to the software invoked.
    DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for a
television system.
    USE - Used for capturing video clips in television commerce.
    ADVANTAGE - The method is capable of providing images for the
products offered on television, thereby improving the transmission
bandwidth and local storage for the images.
    DESCRIPTION OF DRAWING(S) - The drawing shows a flow chart for a
video clipping method.
    pp; 39 DwgNo 3/6
Title Terms: VIDEO; CLIP; CAPTURE; METHOD; TELEVISION; DIGITAL; FRAME;
  RECEIVE; VIDEO; IMAGE; STORAGE; MEMORY; INVOKE; SOFTWARE; PERFORMANCE;
  FUNCTION; RELATED; PRODUCT
Derwent Class: T01; W02; W03
International Patent Class (Main): **G06F-003/00** ; H04N-007/025
International Patent Class (Additional): **G06F-013/00** ; H04N-005/445;
  H04N-007/10; H04N-007/16; H04N-007/173
File Segment: EPI

 8/5/5   (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014956329   **Image available**
WPI Acc No: 2003-016843/200301
XRPX Acc No: N03-012753
  **Image processing device for product sales, corrects original image data
  using image data obtained from photographed color chart data**
Patent Assignee: SHARP KK (SHAF); EHIRO M (EHIR-I); HATANAKA K (HATA-I);
  MORITA T (MORI-I); TAKANO M (TAKA-I)
Inventor: EHIRO M; HATANAKA K; MORITA T; TAKANO M
Number of Countries: 003 Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 20020118294	A1	20020829	US 200271353	A	20020211	200301	B
JP 2002262119	A	20020913	JP 200154156	A	20010228	200301	

KR 2002070646 A 20020910 KR 200210921 A 20020228 200311

Priority Applications (No Type Date): JP 200154156 A 20010228
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
US 20020118294 A1   34 H04N-017/02
JP 2002262119 A   25 H04N-001/60
KR 2002070646 A   G06T-015/50

Abstract (Basic): US 20020118294 A1
        NOVELTY - A control unit corrects the original image data using
    image data obtained from a photographed color chart data. The
    photographed color chart data is obtained using same type of light
    source as used to obtain the original image data.
        DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for the
    following:
        (1) Image processing method;
        (2) Machine readable recorded medium storing program for executing
    image processing; and
        (3) Program product for executing image processing.
        USE - For sales of products e.g. clothes, lipsticks, etc., by
    displaying product image in communication **network** or television
    broadcasting.
        ADVANTAGE - By dividing the light source color chart data,
    correction is rapidly performed. Enables seller to efficiently present
    the transaction information and also the consumer is able to confirm
    the color and presentation of the product, without any special cost.
        DESCRIPTION OF DRAWING(S) - The figure shows the contents of a
    color chart database.
        pp; 34 DwgNo 7/22
Title Terms: IMAGE; PROCESS; DEVICE; PRODUCT; SALE; CORRECT; ORIGINAL;
   IMAGE; DATA; IMAGE; DATA; OBTAIN; PHOTOGRAPH; COLOUR; CHART; DATA
Derwent Class: T01; T04; W01; W02; W05
International Patent Class (Main): G06T-015/50; H04N-001/60; H04N-017/02
International Patent Class (Additional): **G06F-017/60** ; G06T-005/00;
   G09G-005/02; H04N-001/46; H04N-005/222; H04N-009/04; H04N-009/73
File Segment: EPI

 8/5/6   (Item 3 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014795111   **Image available**
WPI Acc No: 2002-615817/200266
   Serial products auction system and method using internet network
Patent Assignee: BIZMODELINE CO LTD (BIZM-N)
Inventor: HONG J C; JIN S H; KIM H G; KIM J H; KIM Y G
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
KR 2002023607 A   20020329 KR 200056018   A   20000923 200266 B

Priority Applications (No Type Date): KR 200056018 A 20000923
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
KR 2002023607 A   1 G06F-017/60

Abstract (Basic): KR 2002023607 A
        NOVELTY - A series products auction system and method using an
    Internet network are provided to improve the service and convenience of
    an Internet auction by enabling a buy to get the desire product
    information or product purchase information so as to display the
    products being not put to the auction.
        DETAILED DESCRIPTION - The system comprises a client(100)

connecting to a server using the Internet network(10), a list storage(11) storing the list information for series products closely relating each other, a list searching part(12) searching and managing the products fitting the list on the basis of the products stored in the list storage, a list display storage(13) **storing** the **display image** of list **products** , and a list **display** manager(14) managing the list display storage. Also, the system includes an auction products list storage(15) storing the list information of the auction product, an auction products list manager(16) providing the list information of auction product fitting to the information transmitted from the list searching part, an auction product display storage(17), and a display manager(18) providing the display information of the auction product extracted from the list searching part.

pp; 1 DwgNo 1/10
Title Terms: SERIAL; PRODUCT; AUCTION; SYSTEM; METHOD; NETWORK
Derwent Class: T01
International Patent Class (Main): **G06F-017/60**
File Segment: EPI

8/5/7   (Item 4 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014326386   **Image available**
WPI Acc No: 2002-147088/200219
XRPX Acc No: N02-111501
  On-line product selling system e.g. for air conditioner, electronic appliances, has web server storing program, that combines product image to three dimensional sample image on web page based on demand from client
Patent Assignee: LG ELECTRONICS INC (GLDS)
Inventor: AHN B G; KIM D G; LIM Y H; KIM D K; YIM Y H
Number of Countries: 002 Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 20020002511	A1	20020103	US 2001893687	A	20010629	200219	B
KR 2002002895	A	20020110	KR 200037255	A	20000630	200247	
KR 2002002894	A	20020110	KR 200037253	A	20000630	200247	

Priority Applications (No Type Date): KR 200037255 A 20000630; KR 200037253 A 20000630
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 20020002511	A1		32	G06F-017/60	
KR 2002002895	A			G06F-017/60	
KR 2002002894	A			G06F-017/60	

Abstract (Basic): US 20020002511 A1
     NOVELTY - A service provider network has a database which stores three dimensional image data and sample data of various products. The web server in the network has a program operative in connection with the **database** and combines **product image** to three dimensional **sample** image on the web page based on the demand from the client.
     DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for operating method of product selling system.
     USE - For selling products such as air conditioner, electronic appliances, sinks, shelves in kitchen, furniture, cupboards, wash basin in bathroom, lighting fixture, interphones, elevators, escalators using on-line product selling system.
     ADVANTAGE - Virtual installation of the product at client place improves the reliability of product, reduces returns of sold products, eases the selection of products and eliminates necessity of personal visit to clients for advertisement.
     DESCRIPTION OF DRAWING(S) - The figure shows the flowchart explaining on-line product selling method.

pp; 32 DwgNo 10/⬤

Title Terms: LINE; PRODUCT; SELL; SYSTEM; AIR; CONDITION; ELECTRONIC;
   APPLIANCE; WEB; SERVE; STORAGE; PROGRAM; COMBINATION; PRODUCT; IMAGE;
   THREE; DIMENSION; SAMPLE; IMAGE; WEB; PAGE; BASED; DEMAND; CLIENT
Derwent Class: T01
International Patent Class (Main): **G06F-017/60**
File Segment: EPI

   8/5/8   (Item 5 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014293082   **Image available**
WPI Acc No: 2002-113784/200215
XRPX Acc No: N02-084842
   **Item recognition method for point-of-sale check out station, involves
   displaying visual representation of product corresponding to correlation**
Patent Assignee: AJAX COOKE PTY LTD (AJAX-N); EASTWOOD B (EAST-I); JENNINGS
   A J (JENN-I); WALDRON J G (WALD-I)
Inventor: EASTWOOD B; JENNINGS A J; WALDRON J G
Number of Countries: 095 Number of Patents: 010
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
WO 200111553	A1	20010215	WO 2000AU954	A	20000810	200215	B
AU 200064155	A	20010305	AU 200064155	A	20000810	200215	
AU 740004	B	20011025	AU 200064155	A	20000810	200215	N
			AU 200148010	A	20010523		
EP 1203346	A1	20020508	EP 2000951099	A	20000810	200238	
			WO 2000AU954	A	20000810		
US 20020138374	A1	20020926	WO 2000AU954	A	20000810	200265	
			US 200271246	A	20020211		
NZ 517072	A	20021025	NZ 517072	A	20000810	200274	
			WO 2000AU954	A	20000810		
JP 2003506800	W	20030218	WO 2000AU954	A	20000810	200315	
			JP 2001516132	A	20000810		
US 6592033	B2	20030715	WO 2000AU954	A	20000810	200348	
			US 200271246.	A	20020211		
ZA 200201123	A	20030730	ZA 20021123	A	20020208	200355	
AU 763922	B	20030807	AU 200064155	A	20000810	200362	

Priority Applications (No Type Date): AU 992124 A 19990810; AU 200148010 A
   20010523
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
WO 200111553	A1	E	28	G06K-009/78	

   Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA
   CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP
   KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT
   RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW
   Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR
   IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TZ UG ZW

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
AU 200064155	A			G06K-009/78	Based on patent WO 200111553
AU 740004	B			G06K-009/78	Div ex application AU 200064155
					Previous Publ. patent AU 200148010
EP 1203346	A1	E		G06K-009/78	Based on patent WO 200111553

   Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
   LI LT LU LV MC MK NL PT RO SE SI

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 20020138374	A1			G06F-017/60	Cont of application WO 2000AU954
NZ 517072	A			G06K-009/78	Based on patent WO 200111553
JP 2003506800	W		29	G07G-001/00	Based on patent WO 200111553
US 6592033	B2			G06F-017/60	Cont of application WO 2000AU954
ZA 200201123	A		33	G06K-000/00	
AU 763922	B			G06K-009/78	Previous Publ. patent AU 200064155
					Based on patent WO 200111553

Abstract (Basic): WO 200111553 A1
     NOVELTY - Image descriptor generated by analyzing background
compensated image signal corresponding to object (11) placed on view
plate (10), is compared with **stored** data sets representing **image
descriptors** for all varieties of specified **products** , to identify
data set with highest correlation. Recognition result of product
specifying visual representation of product is displayed, for entry
into register system.
     DETAILED DESCRIPTION - The view plate (10) placed at specified
identification station is illuminated from backside in order to obtain
a backlight image viewable from the front side of the plate. The
backlight image captured by positioning the digital image capturing
unit relative to the plate is stored as reference unit. A digitized
image signal which specifies the captured image is processed by
removing the reference image and background compensated image signals
are obtained. The compensated image signals are analyzed to generate an
image descriptor having characteristic features such as size and shape
of the item to be identified. The data sets representing image
descriptors for all varieties of specified products are stored in a
computerized product database. An INDEPENDENT CLAIM is also included
for the item recognition apparatus.
     USE - For item recognition at point-of-sale in retail outlet such
as at hardware store check out, for POS checkout station.
     ADVANTAGE - Since the data set having highest correlation with the
data stored in database, enables the check out operator to visually
rectify the correct match from the displayed data.
     DESCRIPTION OF DRAWING(S) - The figure shows the overall view of
POS check out station.
     View plate (10)
     Object (11)
     pp; 28 DwgNo 6/8
Title Terms: ITEM; RECOGNISE; METHOD; POINT; SALE; CHECK; STATION; DISPLAY;
  VISUAL; REPRESENT; PRODUCT; CORRESPOND; CORRELATE
Derwent Class: T04; T05; W04
International Patent Class (Main): **G06F-017/60** ; G06K-000/00; G06K-009/78;
  G07G-001/00
International Patent Class (Additional): G06T-001/00; G06T-007/00
File Segment: EPI

 8/5/9   (Item 6 from file: 350)

011206742   **Image available**
WPI Acc No: 1997-184666/199717
XRPX Acc No: N97-152186
   **Automatic vending machine for selling e.g. canned juice, tobacco - has
   maintenance display unit which displays count value of counter, which
   counts number of stocked products, and contents of maintenance operation**
Patent Assignee: KOKUSAI DENKI KK (KOKZ)
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
JP 9044737	A	19970214	JP 95190405	A	19950726	199717	B

Priority Applications (No Type Date): JP 95190405 A 19950726
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
JP 9044737	A		15	G07F-009/02	

Abstract (Basic): JP 9044737 A
     The machine has a second image output unit (4b) which converts an
image data, stored in a second video random-access memory (3b), to an

image signal. It has a sample display unit (5a) which displays the image signal which was output by a first image output unit (4a). An advertisement display unit (5b) displays the image signal which was output by the second image output unit.

A counter (10-1-10n) counts the number of stocked products. An operating unit (8) executes a maintenance operation corresponding to the displaying of an image. A maintenance display unit (9) displays the count value of the counter and the contents of a maintenance operation.

ADVANTAGE - Enables easy alteration of **product sample** content by **displaying image** of **stored** sample or **image** of newly received sample. Enables immediate checking of inventory quantity of each product, and improves efficiency of product supplementing operation. Enables product displaying without producing product sample and advertisement panel.

Dwg.3/14

Title Terms: AUTOMATIC; VENDING; MACHINE; SELL; CAN; JUICE; TOBACCO; MAINTAIN; DISPLAY; UNIT; DISPLAY; COUNT; VALUE; COUNTER; COUNT; NUMBER; STOCK; PRODUCT; CONTENT; MAINTAIN; OPERATE

Derwent Class: P85; T01; T05; W05

International Patent Class (Main): G07F-009/02

International Patent Class (Additional): **G06F-017/60** ; G09G-005/00

File Segment: EPI; EngPI

DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

015237956   **Image available**
WPI Acc No: 2003-298882/200329
XRPX Acc No: N03-237673
  Image bearing product purchasing method e.g. for t-shirt, involves
  retrieving image   stored **at** network **accessible location, to generate**
  image bearing product, after providing payment through credit card
Patent Assignee: EASTMAN KODAK CO (EAST)
Inventor: FREDLUND J R; MANICO J A
Number of Countries: 002 Number of Patents: 002
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 20020181009	A1	20021205	US 2001859033	A	20010516	200329	B
JP 2003058799	A	20030228	JP 2002141085	A	20020516	200329	

Priority Applications (No Type Date): US 2001859033 A 20010516
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 20020181009	A1		21	G06F-015/00	
JP 2003058799	A		13	G06F-017/60	

Abstract (Basic): US 20020181009 A1
       NOVELTY - An **image** is **stored** at a network accessible location.
    The **stored** **image** is retrieved using a generated identifier, to
    generate the image bearing product, after providing payment through a
    credit card
       DETAILED DESCRIPTION - INDEPENDENT CLAIMS are included for the
    following:
       (1) identifier provision method;
       (2) image bearing **product** **availability** notification method; and

       (3) image bearing product provision method.
       USE - For purchasing image bearing products such as t-shirt,
    calendar, mug, puzzle, photo CD, book bag, mouse pad, album page and
    cake decoration.
       ADVANTAGE - Enables dispensing the image bearing product reliably
    and quickly, within the predetermined time period.
       DESCRIPTION OF DRAWING(S) - The figure shows a flow diagram
    explaining the image bearing product dispensing processes.
       pp; 21 DwgNo 4/13
Title Terms: IMAGE; BEARING; PRODUCT; PURCHASE; METHOD; SHIRT; RETRIEVAL;
  IMAGE; STORAGE; NETWORK; ACCESS; LOCATE; GENERATE; IMAGE; BEARING;
  PRODUCT; AFTER; PAY; THROUGH; CREDIT; CARD
Derwent Class: T01
International Patent Class (Main): G06F-015/00; G06F-017/60
International Patent Class (Additional): B41J-001/00; H04N-007/173
File Segment: EPI

DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014345037   **Image available**
WPI Acc No: 2002-165740/200222
XRPX Acc No: N02-126565
  Distribution of products associated with image **through** network ,
  involves automatically employing content of interaction to determine
  image to be displayed
Patent Assignee: CORBIS CORP (CORB-N)
Inventor: GELFUSO J V; LAND S D; LINKER D L; RADCLIFFE W T
Number of Countries: 025 Number of Patents: 001

Patent Family:
```
Patent No      Kind   Date      Applicat No     Kind   Date     Week
EP 1130525     A2  20010905  EP 2000850151    A   20000922  200222  B
```

Priority Applications (No Type Date): US 2000517134 A 20000302
Patent Details:
```
Patent No  Kind Lan Pg   Main IPC     Filing Notes
EP 1130525    A2 E  29 G06F-017/30
```
   Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
   LI LT LU LV MC MK NL PT RO SE SI

Abstract (Basic): EP 1130525 A2
     NOVELTY - Content of an interaction is employed to determine an
image to be displayed, which is associated with the information
indicating each **product** that is **available** for use with the image.
Information associated with image is employed automatically to generate
a representation of each product. The image and the representation is
automatically displayed in a page for providing **available** **product**
on selection.
     DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the
following:
     (a) Computer readable medium with instruction for enabling the
product associated with image to be provided to user;
     (b) System for enabling a product associated with an image to be
provided to user;
     (c) Method for enabling a product associated with an image to be
ordered over a network;
     (d) System for placing an order for a product associated with
image over a **network** ;
     (e) Method for enabling a product associated with a sound to be
provided to user
     USE - For enabling product associated with image to be provided to
user such as picture, electronic postcard, poster, slide show, puzzle,
screen saver, calendar, cup, stationary, invitation, presentation, also
for browsing relational **database** with products or **image** based
searches, subscription pushes and hyperlinks that are associated with
products or categories.
     ADVANTAGE - Enables updated information related to new products and
images to be sent to a subscriber. Enables the presentation of
available images and related **products** to be customized according to
the type of subscription that a user has purchased/selected.
     DESCRIPTION OF DRAWING(S) - The figure shows an architectural
overview of objects referred by artificial intelligence engine.
     pp; 29 DwgNo 17/18
Title Terms: DISTRIBUTE; PRODUCT; ASSOCIATE; IMAGE; THROUGH; NETWORK;
  AUTOMATIC; EMPLOY; CONTENT; INTERACT; DETERMINE; IMAGE; DISPLAY
Derwent Class: T01
International Patent Class (Main): G06F-017/30
International Patent Class (Additional): G06F-017/60
File Segment: EPI
?

DIALOG(R)File 347:JAPIO

07656840   **Image available**
 ORDER RECEIVING AND **ORDERING** METHOD FOR **CALENDAR**

PUB. NO.:   2003-150698   [JP 2003150698 A]
PUBLISHED: May 23, 2003 (20030523)
INVENTOR(s):   ASAHINA HIDEAKI
               OGURO YASURO
APPLICANT(s): TOPPAN PRINTING CO LTD
APPL. NO.:   2001-350844   [JP 20011350844]
FILED: November 15, 2001 (20011115)
INTL CLASS: G06F-017/60; B42D-005/04

ABSTRACT

PROBLEM TO BE SOLVED: To provide an order receiving and **ordering** method
for a   **calendar** to which individual information is attached, by which an
individual can order by using the Internet, select an image or the like
from prepared ones matched with preference and easily specify an
anniversary or the like.

SOLUTION: A server connected to the Internet is provided with a means for
storing a basic pattern of a layout of images and illustrations and the
layout of a date column with a blank, a means for **storing** the **images**
and the illustration to be used at layout positions of the images and the
illustrations, a means for inputting and storing the individual information
and/or a mark to be provided in the blank of the date column, a means for
selecting the   **stored   images** and illustrations, a means for displaying
and confirming the individual information and/or the mark and the selected
images and illustrations and a means for sending the mail of order
confirmation to an ordering person when the ordering person is confirmed.
An order is received by confirmation of the order by the mail.

DIALOG(R)File 347:JAPIO

06251183   **Image available**
CALENDAR MAKING/DISPATCHING SYSTEM

PUB. NO.:   11-192762   [JP 11192762 A]
PUBLISHED: July 21, 1999 (19990721)
INVENTOR(s):   OTSUBO HISAYOSHI
APPLICANT(s): TOPPAN FORMS CO LTD
APPL. NO.:   09-367639   [JP 97367639]
FILED: December 30, 1997 (19971230)
INTL CLASS: B41J-021/16; B42D-005/04; G06F-003/12

ABSTRACT

PROBLEM TO BE SOLVED: To provide a calendar making/dispatching system which
enables a making and a dispatching operation to be performed easily and in
a short time, and also is best suited for receiving small-lot **orders** .

SOLUTION: Under this **calendar** making/dispatching system, information is
entered which is based on the entry contents of an application form 10
having a calendar type selection column 15 for selecting a calendar type
and allocating a desired pictorial pattern image selected from plural
pictorial pattern image to every optional mouth and a user information
entry column 17 for making the entry of user information including
addressee information comprising the address, name or the like of an

applicant for a calendar or the address, name or the like designated by the applicant. Further, the pictorial pattern **image** designated in a **data base** file which is previously entered to an entry part is printed on the calendar paper after combining the image with the calendar type 15a designated. At the same time, the addressee information is printed on the cover paper of the calendar based on the data described in the user information entry column 17, and the originally made calendar is dispatched to the applicant. Thus it is possible to shorten time required from the application for the calendar to its dispatch.

12/5/3   (Item 3 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2003 JPO & JAPIO. All rts. reserv.

05342140   **Image available**
ELECTRONIC EQUIPMENT

PUB. NO.:   08-297640 [JP 8297640 A]
PUBLISHED: November 12, 1996 (19961112)
INVENTOR(s):   NISHIOKA YOKO
APPLICANT(s): SHARP CORP [000504] (A Japanese Company or Corporation), JP
               (Japan)
APPL. NO.:   07-101138 [JP 95101138]
FILED: April 25, 1995 (19950425)
INTL CLASS: [6] G06F-015/02; G06F-015/02
JAPIO CLASS: 45.4 (INFORMATION PROCESSING -- Computer Applications); 29.4
               (PRECISION INSTRUMENTS -- Business Machines)
JAPIO KEYWORD:R011 (LIQUID CRYSTALS)

ABSTRACT
PURPOSE: To display plural pieces of schedule data within a limited display area.

CONSTITUTION: A calendar preparing part 41 of a CPU 4 prepares and displays the calendar of a certain month and continuously, **picture** symbol data **stored** in a **picture** symbol data part 113 are displayed on the **calendar**. Next, it is judged in **order** to display a period schedule data on the calendar whether the picture symbol data are contained in the period of the period schedule data or not and when the picture symbol data are not contained, those data are not displayed but a flag showing the overlap of data is raised on both the data so that the display can be switched at the overlapped part during fixed time.

12/5/4   (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014017921   **Image available**
WPI Acc No: 2001-502135/200155
XRPX Acc No: N01-372410
  **Internet based calendar producing system makes use of printing office to
  print calendar with pictures selected by user, and date set by user**
Patent Assignee: FUJI PHOTO FILM CO LTD (FUJF); NAKAJIMA K (NAKA-I)
Inventor: NAKAJIMA K
Number of Countries: 002 Number of Patents: 003
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 20010010772	A1	20010802	US 2001769381	A	20010126	200155	B
JP 2001209710	A	20010803	JP 200020416	A	20000128	200159	
US 6536965	B2	20030325	US 2001769381	A	20010126	200325	

Priority Applications (No Type Date): JP 200020416 A 2000●●28
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
US 20010010772 A1   19 B41J-005/30
JP 2001209710 A   15 G06F-017/60
US 6536965   B2   H04N-001/04
Abstract (Basic): US 20010010772 A1
        NOVELTY - A terminal (22) receives information of multiple
    pictures   stored in server (18) and displays the received information
    to user (20) for selecting the pictures to **order** a **calendar** . A
    printing office (24) receives the information of pictures selected by
    user through communication circuit (26) and prints the calendar with
    selected pictures, one of the date set by the user and sequence of date
    automatically set according to the ordering date.
        DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the
    following:
        (a) Calendar production method;
        (b) Calendar selling system;
        (c) Calendar selling method
        USE - For producing calendar using Internet.
        ADVANTAGE - The desired **calendar** can be **purchased** all through
    the year and delivered to the user quickly.
        DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of
    calendar producing and selling system.
        Server (18)
        User (20)
        Terminal (22)
        Printing office (24)
        Communication circuit (26)
        pp; 19 DwgNo 3/12
Title Terms: BASED; CALENDAR; PRODUCE; SYSTEM; PRINT; OFFICE; PRINT;
   CALENDAR; PICTURE; SELECT; USER; DATE; SET; USER
Derwent Class: P75; P84; T01; T04; T05
International Patent Class (Main): B41J-005/30; G06F-017/60; H04N-001/04
International Patent Class (Additional): B42D-005/04; G03F-003/10;
   G07F-017/26
File Segment: EPI; EngPI

  12/5/5   (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

010430054   **Image available**
WPI Acc No: 1995-331374/199543
XRPX Acc No: N95-249492
   **Video camera title image selection with composition function - uses
   number of title** images **preliminary** stored **for combining with video
   image and which are arranged in e.g.** calendar   order **with priority
   given to that indicated by camera calendar NoAbstract**
Patent Assignee: FUJI PHOTO FILM CO LTD (FUJF)
Number of Countries: 001 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
JP 7226881   A   19950822 JP 9416593   A   19940210 199543 B

Priority Applications (No Type Date): JP 9416593 A 19940210
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
JP 7226881   A   6 H04N-005/278
Title Terms: VIDEO; CAMERA; TITLE; IMAGE; SELECT; COMPOSITION; FUNCTION;
   NUMBER; TITLE; IMAGE; PRELIMINARY; STORAGE; COMBINATION; VIDEO; IMAGE;
   ARRANGE; CALENDAR; ORDER; PRIORITY; INDICATE; CAMERA; CALENDAR;
   NOABSTRACT
Derwent Class: W04

                    Search performed by Sylvia Keys   December 15, 2003

DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014345037   **Image available**
WPI Acc No: 2002-165740/200222
XRPX Acc No: N02-126565
   Distribution of products associated with image **through** network ,
   involves automatically employing content of interaction to determine
   image to be displayed
Patent Assignee: CORBIS CORP (CORB-N)
Inventor: **GELFUSO J V ; LAND S D ; LINKER D L ; RADCLIFFE W T**
Number of Countries: 025 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
EP 1130525   A2 20010905 EP 2000850151   A   20000922 200222 B

Priority Applications (No Type Date): US 2000517134 A 20000302
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
EP 1130525   A2 E 29 G06F-017/30
   Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
   LI LT LU LV MC MK NL PT RO SE SI

Abstract (Basic): EP 1130525 A2
      NOVELTY - Content of an interaction is employed to determine an
   image to be displayed, which is associated with the information
   indicating each product that is available for use with the image.
   Information associated with image is employed automatically to generate
   a representation of each product. The image and the representation is
   automatically displayed in a page for providing available product on
   selection.
      DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for the
   following:
      (a) Computer readable medium with instruction for enabling the
   product associated with image to be provided to user;
      (b) System for enabling a product associated with an image to be
   provided to user;
      (c) Method for enabling a product associated with an image to be
   ordered over a network;
      (d) System for placing an order for a product associated with
   image over a **network** ;
      (e) Method for enabling a product associated with a sound to be
   provided to user
      USE - For enabling product associated with image to be provided to
   user such as picture, electronic postcard, poster, slide show, puzzle,
   screen saver, calendar, cup, stationary, invitation, presentation, also
   for browsing relational **database** with products or **image** based
   searches, subscription pushes and hyperlinks that are associated with
   products or categories.
      ADVANTAGE - Enables updated information related to new products and
   images to be sent to a subscriber. Enables the presentation of
   available images and related products to be customized according to the
   .type of subscription that a user has purchased/selected.
      DESCRIPTION OF DRAWING(S) - The figure shows an architectural
   overview of objects referred by artificial intelligence engine.
      pp; 29 DwgNo 17/18
Title Terms: DISTRIBUTE; PRODUCT; ASSOCIATE; IMAGE; THROUGH; NETWORK;
  AUTOMATIC; EMPLOY; CONTENT; INTERACT; DETERMINE; IMAGE; DISPLAY
Derwent Class: T01
International Patent Class (Main): G06F-017/30
International Patent Class (Additional): G06F-017/60
File Segment: EPI

014013879
WPI Acc No: 2001-498093/200155
XRPX Acc No: N01-369143
  Method of searching a database **for an** image **related to indicated text
  automatically creates a query usable by a search engine to search the
  database and produce a relevant image**
Patent Assignee: CORBIS CORP (CORB-N)
Inventor: CRAIG M D; **LAND S D** ; LINDSEY R C; **LINKER D L** ; STRATMEYER C M
Number of Countries: 025 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 1077414	A2	20010221	EP 2000850139	A	20000817	200155	B

Priority Applications (No Type Date): US 99376748 A 19990817
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
EP 1077414	A2	E	20	G06F-017/30	

    Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
    LI LT LU LV MC MK NL PT RO SE SI

Abstract (Basic): EP 1077414 A2
        NOVELTY - Selected text is used automatically to generate a query
    searching for related **images** in a **database** . The **images** may
    include video and audio. An image is located in the database by a
    search engine and a thumbnail or higher quality image is associated
    with the text. An electronic purchase system may be used to purchase
    high quality versions of the **image** from the **database** owners for
    insertion in the text. A data handling software component is used to
    handle the information returned from a search and converting this into
    a displayed image. Other software components handle other aspects of
    the data manipulations.
        DETAILED DESCRIPTION - INDEPENDENT CLAMS are included for
        (a) a system for obtaining an **image** from a **database** for pasting
    into a document
        (b) a computer readable medium carrying instructions for obtaining
    an **image** from a **database** for pasting into a document
        (c) and a method for electronically purchasing an **image** ver a
    network .
        USE - Obtaining images relating to specified text automatically.
        ADVANTAGE - None expressly given.
        pp; 20 DwgNo 0/9
Title Terms: METHOD; SEARCH; DATABASE; IMAGE; RELATED; INDICATE; TEXT;
  AUTOMATIC; QUERY; SEARCH; ENGINE; SEARCH; DATABASE; PRODUCE; RELEVANT;
  IMAGE
Derwent Class: T01
International Patent Class (Main): G06F-017/30
File Segment: EPI

?ds

Set	Items	Description
S1	31273	(IMAGE OR IMAGES OR PHOTO OR PHOTOS OR PHOTOGRAPH OR PHOTO-GRAPHS OR PICTURE OR PICTURES)(3N)(DB OR DATABASE? OR DATAFILE? OR DATA()(BASE? OR FILE?) OR NETWORK? OR STORED OR STORING)
S2	50903	(REPRESENT? OR SAMPLE OR SAMPLES OR DESCRIPT? OR DISPLAY? - OR DEPICT? OR VISUALI?)(5N)(PRODUCT OR PRODUCTS)
S3	34112	(AVAILABLE OR AVAILABILITY)(5N)(PRODUCT OR PRODUCTS)
S4	1453	(ORDER OR ORDERS OR ORDERING OR PURCHAS?)(5N)(SCREENSAVER? OR CALENDAR? OR MUG OR MUGS OR CUP OR CUPS OR (TEE OR T)()(SH-IRT OR SHIRTS))
S5	2539	CONTEXTUAL()INTERACTION? OR METADATA?
S6	4	AU=(LINKER, D? OR LINKER D? OR LAND, S? OR LAND S? OR GELF-USO, J? OR GELFUSO J? OR RADCLIFFE W? OR RADCLIFFE W?)
S7	27	S1(5N)S2
S8	14	S7 AND IC=G06F
S9	4	S1(5N)S3
S10	3	S9 NOT S8
S11	7	S1(S)S4
S12	7	S11 NOT (S8 OR S10)
S13	5	S12 AND IC=G06F
S14	0	S6(S)S1

Search performed by Sylvia Keys   December 15, 2003

DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

01492982
METHOD AND APPARATUS FOR SUPPORTING APPAREL PRODUCT SALE AND FITTING ROOM
VERFAHREN UND VORRICHTUNG ZUR UNTERSTUTZUNG DES PRODUKTVERKAUFS BEI
    KLEIDUNGSSTUCKEN UND DES ANKLEIDERAUMS
PROCEDE ET DISPOSITIF DE SUPPORT DE VENTE D'UN VETEMENT ET CABINE
    D'ESSAYAGE ASSOCIEE
PATENT ASSIGNEE:
  Shima Seiki Mfg., Ltd, (1257394), 85 Sakata, Wakayama-shi, Wakayama
    641-8511, (JP), (Applicant designated States: all)
INVENTOR:
  SHIMA, Masahiro, 3-33, Fukiage 4-chome, Wakayama-shi, Wakayama 640-8137,
    (JP)
LEGAL REPRESENTATIVE:
  Beetz & Partner Patentanwalte (100712), Steinsdorfstrasse 10, 80538
    Munchen, (DE)
PATENT (CC, No, Kind, Date): EP 1351172 A1 031008 (Basic)
                              WO 2002050736 020627
APPLICATION (CC, No, Date):   EP 2001271597 011217; WO 2001JP11073 011217
PRIORITY (CC, No, Date): JP 2000386080 001219
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-017/60**
ABSTRACT WORD COUNT: 159
NOTE:
  Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:
Available Text Language   Update   Word Count
      CLAIMS A (English)   200341   1128
      SPEC A   (English)   200341   11404
Total word count - document A   12532
Total word count - document B   0
Total word count - documents A + B   12532

INTERNATIONAL PATENT CLASS: **G06F-017/60**

...SPECIFICATION tried on products are accumulated. Images of the apparel
  products actually purchased and the apparel **products   displayed** for
  comparison are **stored** as **image** data, which can be retrieved for
  viewing, for example, when the customer 18 visits the...

DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

01436894
Order receiving and ordering system
Bestellungsannahme- und Vergabesytem
Systeme pour reserver et pour recevoir des reservations
PATENT ASSIGNEE:
  SANYO ELECTRIC CO. LTD, (238929), 2-5-5, Keihanhondori, Moriguchi-shi,
    Osaka-fu, (JP), (Applicant designated States: all)
INVENTOR:
  Morishima, Masayuki, 3-2-21, KenoshinMachi, Ashikaga-shi, Tochigi-ken,
    (JP)
LEGAL REPRESENTATIVE:
  Style, Kelda Camilla Karen et al (75491), Page White & Farrer, 54 Doughty
    Street, London WC1N 2LS, (GB)

PATENT (CC, No, Kind, Date):   EP 1220129 A2 020703 (Base)
                               EP 1220129 A3 020828
APPLICATION (CC, No, Date):   EP 2001307111 010821;
PRIORITY (CC, No, Date): JP 2000403375 001228
DESIGNATED STATES: DE; ES; FR; GB; IT; PT
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: **G06F-017/60**
ABSTRACT WORD COUNT: 98
NOTE:
    Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language   Update   Word Count
       CLAIMS A (English) 200227   532
       SPEC A   (English) 200227   11583
Total word count - document A   12115
Total word count - document B   0
Total word count - documents A + B   12115

INTERNATIONAL PATENT CLASS: **G06F-017/60**

...SPECIFICATION number equal to the number of deleted product images; a
    reader which reads the product **images** and control data **stored** in the
    memory; a **display** which **displays** the **product** images on the basis of
    the product images and the control data read by the...

 8/3,K/3   (Item 1 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

01052370
**TAXONOMY BASED USER INTERFACE FOR MERCHANT COMPARISON IN ELECTRONIC
    COMMERCE SYSTEM**
**INTERFACE UTILISATEUR BASEE SUR LA TAXONOMIE PERMETTANT D'ETABLIR DES
    COMPARAISONS MARCHANDES DANS UN SYSTEME DE COMMERCE ELECTRONIQUE**
Patent Applicant/Assignee:
  AMERICA ONLINE INCORPORATED, 22000 AOL Way, Dulles, VA 20166, US, US
    (Residence), US (Nationality)
Inventor(s):
  HUANG Jun, 2974 Mary Caroline Court, San Jose, CA 95133, US,
 Legal Representative:
  GLEEN Michael A (et al) (agent), Suite L, 3475 Edison Way, Menlo Park, CA
    94025, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200381393 A2 20031002 (WO 0381393)
  Application: WO 2003US8730 20030319 (PCT/WO US0308730)
  Priority Application: US 2002103639 20020320
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO NZ OM PH PL PT
  RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT RO SE
  SI SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 4111

Main International Patent Class: **G06F**
Fulltext Availability:
  Detailed Description

Search performed by Sylvia Keys   December 15, 2003

Detailed Description
... information (i.e. "vendor item information 33"), related to its
commerce items 34 such as **product descriptions**, specifications,
prices and **images**, in relational **databases**. Relational databases are
well known in the art and generally comprise a logical design structure
...

8/3,K/4   (Item 2 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

01043730   **Image available**
VIDEO CLIPPING SYSTEM AND METHOD
SYSTEME D'INTRODUCTION D'UN VIDEO-CLIP ET PROCEDE ASSOCIE
Patent Applicant/Assignee:
  GEMSTAR DEVELOPMENT CORPORATION, 135 North Los Robles Avenue, Pasadena,
    CA 91101, US, US (Residence), US (Nationality), (For all designated
    states except: US)
Patent Applicant/Inventor:
  MACRAE Douglas B, 23 Cart Path Road, Weston, MA 02493, US, US (Residence)
    , US (Nationality), (Designated only for: US)
  WESTBERG Thomas E, 4 Puffer Lane, Sudbury, MA 01776, US, US (Residence),
    US (Nationality), (Designated only for: US)
Legal Representative:
  TABANDEH Raymond R (agent), Christie, Parker & Hale, LLP, Post Office Box
    7068, Pasadena, CA 91109-7068, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200373758 A1 20030904 (WO 0373758)
  Application: WO 2003US6081 20030227 (PCT/WO US0306081)
  Priority Application: US 2002360377 20020227
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO
  RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL PT SE SI
  SK TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 9351

...International Patent Class: **G06F-003/00** ...

... **G06F-013/00**
Fulltext Availability:
  Detailed Description
  Claims

Detailed Description
... the digitized image in the memory; invoking software to
  perform a function related to the **product**; and **displaying** the
  stored image, responsive to the invoking the software.
  In another aspect, the present invention is a televison...digitized
  image; an input device for
  invoking software to perform a function related to the **product**;
  and a **display** screen for **displaying** the **stored image**, responsive
  to the invoking the software.

  BRIEF DESCRIPTION OF THE DRAWINGS
  The objects, advantages and...

Claim
... image in the memory;
invoking the downloaded software to perform a function
related to the **product** ; and
displaying the **stored** **image** , responsive to the invoking the
software.
2 . The method of claim 1, further comprising downloading...digitized
image;
an input device for invoking software to perform a function
related to the, **product** ; and
a **display** screen for **displaying** the **stored** **image** , responsive
to the invoking the software.

21 The televison system of claim 20, further comprising...storing the
digitized image;
means for invoking software to perform a function related to
the **product** ; and
means for **displaying** the **stored** **image** , responsive to the
invoking the software.

8/3,K/5   (Item 3 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

01029432
METHOD AND APPARATUS FOR CREATION AND MAINTENANCE OF DATABASE STRUCTURE
PROCEDE ET DISPOSITIF SERVANT A LA CREATION ET A L'ENTRETIEN D'UNE
    STRUCTURE DE BASE DE DONNEES
Patent Applicant/Assignee:
  CHANNEL INTELLIGENCE INC, 1180 Celebration Boulevard, Suite 101,
    Celebration, FL 34747, US, US (Residence), US (Nationality)
Inventor(s):
  WIGHT Robert, 907 Westpark, Celebration, FL 34747, US,
  GRIFFIN Josh, 3032 Parkway Boulevard, #303, Kissimmee, FL 34746, US,
  TRYZBIAK Timothy, 1607 Marina Lake Drive, Kissimmee, FL 34744, US,
  SANTIAGO Anibal, 5164 Heatherstone Court, Kissimmee, FL 34758, US,
  COUCH Dale, 3648 Crescent Park Boulevard, Orlando, FL 32812, US,
  BENSON Edward H III, 214 Longview Avenue, Celebration, FL 34747, US,
  CROSSMIER David A III, 2339 Westminster Terrace, Oveido, LA 32765, US,
  SCHRADER David M, 8442 Bowden Way, Windermere, FL 34786, US,
Legal Representative:
  FOREST Carl A (et al) (agent), Patton Boggs LLP, P. O. Box 270930,
    Louisville, CO 80027-5015, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200358535 A2 20030717 (WO 0358535)
  Application: WO 2002US41831 20021230 (PCT/WO US0241831)
  Priority Application: US 200135635 20011228
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO
  RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG UZ VC VN YU ZA ZM ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SI SK
  TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 19934

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... 2481 Name Compaq iPaq
  2483 Availability -1
  2484 Buy URL http://www.cdw.com/shop/ **products** /
  default.asp?EDC=316787
  2488 **Description** This uniquely designed **product** is ideal for
  corporate **network** environments
  2489 **Image** URL http://webobjects.cdw.com/staticimg/full/3/l/
  6787.jpg
  2491 Manufacturer Compaq Computer...

 8/3,K/6   (Item 4 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

01021494   **Image available**
**METHOD AND APPARATUS FOR COMMERCE ITEM INFORMATION HOMOGENIZATION IN
    ELECTRONIC COMMERCE SYSTEM**
**PROCEDE ET DISPOSITIF D'HOMOGENEISATION D'INFORMATIONS PORTANT SUR DES
    ARTICLES DE COMMERCE DANS UN SYSTEME DE COMMERCE ELECTRONIQUE**
Patent Applicant/Assignee:
  AMERICA ONLINE CORPORATION, 22000 AOL Way, Dulles, VA 20166-9323, US, US
    (Residence), US (Nationality)
Inventor(s):
  GRONBERG Marty, 330 Bellevue Curt, Los Altos, Ca 94024, US,
  CHAMBERS Wade, 1897 Flagstone Drive, Union City, CA 94587, US,
Legal Representative:
  GLENN Michael (et al) (agent), Glenn Patent Group, Suite L, 3475 Edison
    Way, Menlo Park, CA 94025, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200350652 A2-A3 20030619 (WO 0350652)
  Application: WO 2002US39038 20021205 (PCT/WO US0239038)
  Priority Application: US 20018772 20011206
Designated States: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK
  DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SK SL TJ TM
  TR TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LU MC NL PT SE SI SK
  TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 4088

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... typically store information , ie. "commerce item information 33",
  related to its commerce items such as **product** **descriptions** ,
  specifications, prices and **images** , in relational **databases** .
  Relational databases are well known in the art and generally comprise a
  logical design structure...

 8/3,K/7   (Item 5 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00918443   **Image available**
SYSTEM FOR ELECTRONIC MERCHANDISING AND SHOPPING

SYSTEME DESTINE AUX ACHATS ET AUX VENTES ELECTRONIQUES
Patent Applicant/Assignee:
  OKAIKEI INC, 600 Flower Avenue No. 3, Venice, CA 90291, US, US
    (Residence), US (Nationality)
Inventor(s):
  SHIMOGORI Kotaro, 600 Flower Avenue, No. 3, Venice, CA 90291, US,
Legal Representative:
  ROBBINS Billy A (agent), Fulbright & Jaworski L.L.P., 865 South Figueroa
    Street, 29th floor, Los Angeles, CA 90017-2576, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200252478 A2 20020704 (WO 0252478)
  Application: WO 2001US45317 20011114 (PCT/WO US0145317)
  Priority Application: US 2000747454 20001222
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PH PL PT RO RU
  SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 15140

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... variations in the purchase transaction model as well as a system which
  includes databases having **product** data such as **descriptions** , prices,
  pictures and the like **stored** in appropriate databases according to a
  predetermined format acceptable to the various database management
  systems...

 8/3,K/8   (Item 6 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00909768
SYSTEM AND METHOD FOR ORDERING ITEMS
SYSTEME ET PROCEDE DE COMMANDE D'ARTICLES
Patent Applicant/Inventor:
  ATZEL Amy Hobbs, 708 North 1st Street, Minneapolis, MN 55401-1133, US, US
    (Residence), US (Nationality)
Legal Representative:
  BRUESS Steven C (agent), Merchant & Gould P.C., P.O. Box 2903,
    Minneapolis, MN 55402-0903, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200242976 A2 20020530 (WO 0242976)
  Application: WO 2001US43216 20011119 (PCT/WO US0143216)
  Priority Application: US 2000717529 20001121
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO
  RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZM ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 7906

Search performed by Sylvia Keys   December 15, 2003

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... 103. The identify operation 204 may then compare the selected image to
  a plurality of **images** stored in a **database** . These **images** may be
  representative of consumer **products** to be ordered. Known techniques
  for parsing or
  matching images may be employed. Exemplary methods...

  8/3,K/9   (Item 7 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00874781   **Image available**
ELECTRONIC SHOPPING MALL
CENTRE COMMERCIAL ELECTRONIQUE
Patent Applicant/Assignee:
  BIOMETRICS IMAGINEERING INC, 252 Ponce de Leon Avenue, Citibank Tower,
    16th floor, San Juan, PR 00918, US, US (Residence), US (Nationality)
Inventor(s):
  HOYOS Hector, 252 Ponce de Leon Avenue, Citibank Tower, 16th floor, San
    Juan, PR 00918, US,
  BERRIOS Miguel, 252 Ponce de Leon Avenue, Citibank Tower, 16th floor, San
    Juan, PR 00918, US,
  RIVERA Alex, 252 Ponce de Leon Avenue, Citibank Tower, 16th floor, San
    Juan, PR 00918, US,
  PEREZ Jose, 252 Ponce de Leon Avenue, Citibank Tower, 16th floor, San
    Juan, PR 00918, US,
  ROSA Cesar, 252 Ponce de Leon Avenue, Citibank Tower, 16th floor, San
    Juan, PR 00918, US,
Legal Representative:
  HOGLUND Heath W (agent), 256 Eleanor Roosevelt, San Juan, PR 00918, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200208868 A2-A3 20020131 (WO 0208868)
  Application: WO 2001US23756 20010726 (PCT/WO US0123756)
  Priority Application: US 2000625725 20000726
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR
  KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE
  SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 17350

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Claims

Claim
... the step of transmitting data associated with products that are
  available for purchase through the **network** comprises transmitting
  image data **depicting** the **products** and text data describing the
  products, wherein the text data
  includes a cost associated with...

  8/3,K/10   (Item 8 from file: 349)

00806392
**TECHNOLOGY SHARING DURING ASSET MANAGEMENT AND ASSET TRACKING IN A
NETWORK-BASED SUPPLY CHAIN ENVIRONMENT AND METHOD THEREOF**
**PARTAGE TECHNOLOGIQUE LORS DE LA GESTION ET DU SUIVI DU PARC INFORMATIQUE
DANS UN ENVIRONNEMENT DU TYPE CHAINE D'APPROVISIONNEMENT RESEAUTEE, ET
PROCEDE ASSOCIE**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  MIKURAK Michael G, 108 Englewood Blvd., Hamilton, NJ 08610, US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th Floor,
    2029 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200139086 A2 20010531 (WO 0139086)
  Application: WO 2000US32310 20001122 (PCT/WO US0032310)
  Priority Application: US 99444653 19991122; US 99447623 19991122
Designated States: AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE
  DK DM DZ EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL
  TJ TM TR TT TZ UA UG UZ VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 156214

Main International Patent Class: **G06F-017/60**
Fulltext Availability:
  Detailed Description

Detailed Description
... up a line for many minutes, rendering message switching useless for
  interactive traffic.

  Packet switched **networks** , which predominate the computer **network**
  industry, divide data into small pieces called packets that are
  multiplexed onto high capacity intermachine...

 8/3,K/11   (Item 9 from file: 349)

00806389
**SCHEDULING AND PLANNING BEFORE AND PROACTIVE MANAGEMENT DURING MAINTENANCE
AND SERVICE IN A NETWORK-BASED SUPPLY CHAIN ENVIRONMENT**
**PROGRAMMATION ET PLANIFICATION ANTICIPEE, ET GESTION PROACTIVE AU COURS DE
LA MAINTENANCE ET DE L'ENTRETIEN D'UN ENVIRONNEMENT DU TYPE CHAINE
D'APPROVISIONNEMENT RESEAUTEE**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  MIKURAK Michael G, 108 Englewood Boulevard, Hamilton, NJ 08610, US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 38th Floor,
    2029 Century Park East, Los Angeles, CA 90067-3024, US,
Patent and Priority Information (Country, Number, Date):

Patent: WO 200139082 A2 20010531 (WO 0139082)
Application: WO 2000US32228 20001122 (PCT/WO US0032228)
Priority Application: US 99447625 19991122; US 99444889 19991122
Designated States: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES
    FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD
    MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ
    VN YU ZW
    (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
    (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
    (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
    (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 152479

Main International Patent Class: **G06F-017/16**
Fulltext Availability:
  Detailed Description

Detailed Description
... portion of the screen occupies a small part of the screen, such as
  honizontally scrolling **image** region at the top or bottom of the
  display and the remainder of the screen is occupied by advertisements,
  "infomercials" and the llke.

  164...

 8/3,K/12   (Item 10 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00783248   **Image available**
SYSTEM AND METHOD FOR AUTOMATED CLOSED-LOOP PRODUCTION OF CUSTOMIZED BOOKS
SYSTEME ET PROCEDE PERMETTANT LA PRODUCTION AUTOMATIQUE EN BOUCLE FERMEE DE
    LIVRES PERSONNALISES
Patent Applicant/Assignee:
  R R DONNELLEY & SONS COMPANY, 77 West Wacker Drive, Chicago, IL 60601, US
    , US (Residence), US (Nationality)
Inventor(s):
  DREYER Mark G, 2320 Blue Spruce Lane, Aurora, IL 60504, US,
  ASARIA Riyaz M, 202 Pleasant Street, Oak Park, IL 60302, US,
  SHIVELY J Thomas, 45 S. Thurlow Street, Hinsdale, IL 60521, US,
  WARMUS James L, 350 S. Kensington, LaGrange, IL 60525, US,
Legal Representative:
  MCCRACKEN William E (agent), Marshall, O'Toole, Gerstein, Murray & Borun,
    6300 Sears Tower, 233 South Wacker Drive, Chicago, IL 60606, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116793 A1 20010308 (WO 0116793)
  Application: WO 2000US23006 20000822 (PCT/WO US0023006)
  Priority Application: US 99388191 19990901
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ
    DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ
    LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG
    SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
    (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
    (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
    (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
    (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 15728

Main International Patent Class: **G06F-017/24**
Fulltext Availability:

Detailed Description
... should be evident from the foregoing, the programming of FIG.

  18 stores cleaned data and **image** names into the **database** file. A
  sample
  database file **product** table having fields stored therein is shown in
  FIGS.
  19A, 19B, and 19C. The data...

 8/3,K/13   (Item 11 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00783247   **Image available**
AUTOMATED CONVERSION OF PRINT-READY DOCUMENTS FOR DISPLAY
CONVERSION AUTOMATIQUE DE DOCUMENTS PRETS A IMPRIMER AFIN DE LES AFFICHER
Patent Applicant/Assignee:
  R R DONNELLEY & SONS COMPANY, 3075 Highland Parkway, Downers Grove, IL
    60515-1261, US, US (Residence), US (Nationality), (For all designated
    states except: US)
Patent Applicant/Inventor:
  DREYER Mark G, 2320 Blue Spruce Lane, Aurora, IL 60504, US, US
    (Residence), US (Nationality), (Designated only for: US)
  SHIVELY J Thomas, 112 N. Washington Street, Hinsdale, IL 60521, US, US
    (Residence), US (Nationality), (Designated only for: US)
Legal Representative:
  MCCRACKEN William E (agent), Marshall, O'Toole, Gerstein, Murray & Borun,
    233 S. Wacker Drive, 6300 Sears Tower, Chicago, IL 60606, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116792 A1 20010308 (WO 0116792)
  Application: WO 99US20203 19990901 (PCT/WO US9920203)
  Priority Application: WO 99US20203 19990901
Designated States: AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK
  DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
  LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM
  TR TT UA UG US UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW SD SL SZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 12720

Main International Patent Class: **G06F-017/24**
International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description

Detailed Description
... should be evident from the foregoing, the programming
  of FIG. 18 stores cleaned data and **image** names into the
  database file. A **sample** database file **product** table having
  fields stored therein is shown in FIGS. 19A, 19B, and 19C.

  The data...

 8/3,K/14   (Item 12 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

A SYSTEM, METHOD, AND ARTICLE OF MANUFACTURE FOR PHASE DELIVERY OF COMPONENTS OF A SYSTEM REQUIRED FOR IMPLEMENTATION OF TECHNOLOGY
SYSTEME, PROCEDE ET ARTICLE MANUFACTURE DESTINES A LA FOURNITURE PAR PHASES DE COMPOSANTS D'UN SYSTEME NECESSAIRES A L'APPLICATION D'UNE TECHNIQUE

Detailed Description
... performance related, the trade-off can only be rationalized on the
  basis of a good **database** model.

   Product Considerations
  a) Does the **product** provide the followingfeatures?
  * Support for definition of DBMS advanced features (e.g. triggers, stored
  procedures...

13/3,K/1   (Item 1 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

01093828
System and method for ordering printing of images, and system and method
   for printing edited images
System und Verfahren um das Drucken von Bildern zu bestellen und System und
   Verfahren zum Drucken von editierten Bildern
Systeme et methode pour commander l'impression d'images et systeme et
   methode pour imprimer des images editees
PATENT ASSIGNEE:
   FUJI PHOTO FILM CO., LTD., (2602260), No. 210 Nakanuma,
   Minami-ashigara-shi, Kanagawa-ken, 250-0123, (JP), (Applicant
   designated States: all)
INVENTOR:
   Shiimori, Yoshiko, c/o Fuji Photo Film Co., Ltd., 11-46, Senzui 3-chome,
   Asaka-shi, Saitama 351-0024, (JP)
LEGAL REPRESENTATIVE:
   Tothill, John Paul (81551), Frank B. Dehn & Co. 179 Queen Victoria Street
   , London EC4V 4EL, (GB)
PATENT (CC, No, Kind, Date): EP 961451 A2 991201 (Basic)
                              EP 961451 A3 020515
APPLICATION (CC, No, Date):   EP 99302791 990409;
PRIORITY (CC, No, Date): JP 98116249 980410; JP 98126649 980422
DESIGNATED STATES: DE; FR; GB; IT; NL; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: H04L-029/06; **G06F-017/60**
ABSTRACT WORD COUNT: 282
NOTE:
   Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language   Update   Word Count
      CLAIMS A (English)   9948   3865
      SPEC A   (English)   9948   13011
Total word count - document A   16876
Total word count - document B   0
Total word count - documents A + B   16876

...INTERNATIONAL PATENT CLASS: **G06F-017/60**

...SPECIFICATION saying that the date, etc., is inserted using data
   representing the date on which the **calendar** was created.
      Some of the **order** information (number of prints and print size)
   obtained in **image** editing is **stored** in an order information file (see
   Fig. 39).

   (3) First method of ordering printed images...

 13/3,K/2   (Item 1 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00939331   **Image available**
SCHEMA-BASED SERVICES FOR IDENTITY-BASED DATA ACCESS
SERVICES A BASE DE SCHEMA POUR ACCES A DES DONNEES A BASE D'IDENTITE
Patent Applicant/Assignee:
   MICROSOFT CORPORATION, One Microsoft Way, Redmond, WA 98052, US, US
      (Residence), US (Nationality)
Inventor(s):
   LUCOVSKY Mark H, 811 Windsor Drive SE, Sammamish, WA 98074, US,
   PIERCE Shaun Douglas, 24515 NE 11th Place, Sammamish, WA 98074, US,

MOVVA Ramu, 25131 SE 42nd Street, Issaquah, WA 98029, US,
KALKI Jagadeesh, 2336, 175tth CT NE, Redmond, WA 98052, US,
AUERBACH David Benjamin, Apartment 302, 155 Aloha Street, Seattle, WA
    98109, US,
FORD Peter Sewall, 31422 NE 108th Street, Carnation, WA 98014, US,
YUAN Yun-Qi, 2128 179th CT NE, Redmond, WA 98052, US,
GUU Yi-Wen, 14583 NE 58th Street, Bellevue, WA 98007, US,
GEORGE Samuel John, 146 16th Avenue, San Mateo, CA 94402, US,
HOFFMAN William Raymond, 1414 Stannage Avenue, Berkeley, CA 94702, US,
JACOBS Jay Christopher, 5 Woodside Court, Danville, CA 94506, US,
STECKLER Paul Andrew, 2115 187th Avenue NE, Redmond, WA 98052, US,
HSUEH Walter C, 4202 Sophia Way, San Jose, CA 95134, US,
KEIL Kendall D, 19110 33rd Avenue SE, Bothell, WA 98012, US,
GOPAL Burra, 13925 180th Avenue NE, Redmond, WA 98052-1218, US,
WHITE Steven D, 6122 144th PI SE, Bellevue, WA 98006, US,
LEACH Paul J, 1134 Federal Avenue East, Seattle, WA 98102, US,
WARD Richard B, 8565 261st Avenue NE, Redmond, WA 98053-5833, US,
SMOOT Philip Michael, 330 Arlington Street, San Francisco, CA 94131, US,
Legal Representative:
  MICHALIK Albert S (agent), Suite 193, 704-228th Avenue NE, Sammamish, WA
    98074, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200273472 A1 20020919 (WO 0273472)
  Application: WO 2002US7953 20020314 (PCT/WO US0207953)
  Priority Application: US 2001275809 20010314; US 200117680 20011022
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU
  CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP
  KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO
  RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR
  (OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 115907

Main International Patent Class: **G06F-017/30**
Fulltext Availability:
  Detailed Description

Detailed Description
... calendar
  Gregorian Transliterated French
  HSCAL GREGORIAN XLIT FRENCH
  calendar
  AL KOREA LUNAR Default Korea Lunar **calendar**
  F-SC-)
  ITT
  i@41 SCAL JAPAN LUNAR Default Japanese Lunar calendar
  HSCAL HINESE LUNAR...is the invitee's counterProposal for a new end time
  for the meeting. This is **stored** in UTC.

  The /myCalendar/event/attendeeEventExtra/counterProposeLocation (string
  minOccurs=O maxOccurs=l) field contains the...

 13/3,K/3   (Item 2 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00784140
**A SYSTEM, METHOD AND ARTICLE OF MANUFACTURE FOR A GLOBALLY ADDRESSABLE
    INTERFACE IN A COMMUNICATION SERVICES PATTERNS ENVIRONMENT**
SYSTEME, PROCEDE ET ARTICLE DE FABRICATION S'APPLIQUANT DANS UN

ENVIRONNEMENT DE STRUCTURE DE SERVICES DE COMMUNICATIONS VIA UNE INTERFACE ADRESSABLE GLOBALEMENT

Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
    , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 1400 Page Mill
    Road, Palo Alto, CA 94304, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116735 A2-A3 20010308 (WO 0116735)
  Application: WO 2000US24198 20000831 (PCT/WO US0024198)
  Priority Application: US 99387214 19990831
Designated States: AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CU CZ DE DK
  DZ EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT
  LU LV MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR
  TT UA UG UZ VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150371

Main International Patent Class: **G06F-009/46**
Fulltext Availability:
  Detailed Description

Detailed Description
... system management; provides quick launch buttons, system
  resource gauge, drag-and-drop printing and faxing, **calendar** , etc.

  Form 1304
  Form Services enable applications to use fields to display and collect
  data...to a table of physical addresses. The switch can build the table
  by "listening" to **network** traffic and determining which network nodes
  are connected to which switch port.

  1 5 Some...

 13/3,K/4   (Item 3 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00784138
**SYSTEM, METHOD, AND ARTICLE OF MANUFACTURE FOR A REQUEST BATCHER IN A
    TRANSACTION SERVICES PATTERNS ENVIRONMENT**
**SYSTEME, PROCEDE ET ARTICLE MANUFACTURE POUR MODULE DE MISE EN LOTS DES
    REQUETES DANS UN ENVIRONNEMENT CARACTERISE PAR DES SERVICES
    TRANSACTIONNELS**
Patent Applicant/Assignee:
  ACCENTURE LLP, 1661 Page Mill Road, Palo Alto, CA 94304, US, US
    (Residence), US (Nationality)
Inventor(s):
  BOWMAN-AMUAH Michel K, 6426 Peak Vista Circle, Colorado Springs, CO 80918
    , US,
Legal Representative:
  HICKMAN Paul L (agent), Oppenheimer Wolff & Donnelly, LLP, 1400 Page
    Mills Road, Palo Alto, CA 94304, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200116733 A2-A3 20010308 (WO 0116733)

Search performed by Sylvia Keys   December 15, 2003

Application: WO 2000US23885 20000831 (PCT/WO 0023885)
Priority Application: US 99387575 19990831
Designated States: AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CU CZ DE DK
  DZ EE ES FI GB GE GH GM HR HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT
  LU LV MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR
  TT UA UG UZ VN YU ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 150393

Main International Patent Class: **G06F-009/46**
Fulltext Availability:
  Detailed Description

Detailed Description
... system management; provides quick launch buttons, system
  resource gauge, drag-and-drop printing and faxing, **calendar** , etc.

  Form 1304
  Form Services enable applications to use fields to display and collect
  data...appropriate path. This capability is especially important when
  connecting independent networks or subnets.
  For other **network** protocols (e.g., Ethernet, Token Ring), switching
  simply directs packets according to a table of...

 13/3,K/5   (Item 4 from file: 349)
DIALOG(R)File 349:PCT FULLTEXT
(c) 2003 WIPO/Univentio. All rts. reserv.

00761422
BUSINESS ALLIANCE IDENTIFICATION
SYSTEME, PROCEDE ET ARTICLE DE PRODUCTION POUR L'IDENTIFICATION D'ALLIANCES
    COMMERCIALES DANS UN CADRE D'ARCHITECTURE RESEAU
Patent Applicant/Assignee:
  ACCENTURE LLP, 100 South Wacker Drive, Chicago, IL 60606, US, US
    (Residence), US (Nationality)
Inventor(s):
  GUHEEN Michael F, 2218 Mar East Street, Tiburon, CA 94920, US,
  MITCHELL James D, 3004 Alma, Manhattan Beach, CA 90266, US,
  BARRESE James J, 757 Pine Avenue, San Jose, CA 95125, US,
Legal Representative:
  BRUESS Steven C (agent), Merchant, Gould, Smith, Edell, Welter & Schmidt,
    P.A., P.O. Box 2903, Minneapolis, MN 55402-0903, US,
Patent and Priority Information (Country, Number, Date):
  Patent: WO 200073928 A2-A3 20001207 (WO 0073928)
  Application: WO 2000US14375 20000524 (PCT/WO US0014375)
  Priority Application: US 99320816 19990527
Designated States: AE AG AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE
  DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC
  LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI
  SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW
  (EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
  (OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
  (AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
  (EA) AM AZ BY KG KZ MD RU TJ TM
Publication Language: English
Filing Language: English
Fulltext Word Count: 149371

Main International Patent Class: **G06F-017/60**

Search performed by Sylvia Keys   December 15, 2003

Fulltext Availability:
  Detailed Description

Detailed Description
... from Java-enabled browsers. Business Lnet uses recently acquired
  iPlanet's secure, remote access software.

  Calendar Server Designed to manage large-scale enterprise calendaring
  systems, Businessl's Calendar Server is integrated...down into three
  major media types, each with its own set of tools.

  2D/3D **Images** /Animation
  Video
  Audio
  2D13D ImageslAnimation
  Tools to handle these images range from simple paint packages to highly
  complex multi-layered animation graphics packages. The **images** created
  by these tools may be pixel-based (bitmaps) or vector-based, each with
  their...

?ds

```
Set     Items   Description
S1      117169  (IMAGE OR IMAGES OR PHOTO OR PHOTOS OR PHOTOGRAPH OR PHOTO-
                GRAPHS OR PICTURE OR PICTURES)(3N)(DB OR DATABASE? OR DATAFIL-
                E? OR DATA()(BASE? OR FILE?) OR NETWORK? OR STORED OR STORING)
S2      561477  (REPRESENT? OR SAMPLE OR SAMPLES OR DESCRIPT? OR DISPLAY? -
                OR DEPICT? OR VISUALI?)(5N)(PRODUCT OR PRODUCTS)
S3      881973  (AVAILABLE OR AVAILABILITY)(5N)(PRODUCT OR PRODUCTS)
S4      13672   (ORDER OR ORDERS OR ORDERING OR PURCHAS?)(5N)(SCREENSAVER?
                OR CALENDAR? OR MUG OR MUGS OR CUP OR CUPS OR (TEE OR T)()(SH-
                IRT OR SHIRTS))
S5      45910   CONTEXTUAL()INTERACTION? OR METADATA?
S6         19   AU=(LINKER, D? OR LINKER D? OR LAND, S? OR LAND S? OR GELF-
                USO, J? OR GELFUSO J? OR RADCLIFFE W? OR RADCLIFFE W?)
S7        114   S1(3N)S2
S8         86   S7 NOT PY>2000
S9         43   RD (unique items)
S10        30   S9 NOT (PRODUCT?()DESCRIPTION?)
S11       119   S1(3N)S3
S12       117   S11 NOT S9
S13       102   S12 NOT PY>2000
S14        44   RD (unique items)
```

Search performed by Sylvia Keys   December 15, 2003

```
S15      40    S14 NOT (PRODUCT()PICTURE?)
S16      15    S1(S)S4
S17      15    S16 NOT (S10 OR S15)
S18      12    S17 NOT PY>2000
S19       6    RD (unique items)
S20       0    S6(S)S1
S21       0    (S10 OR S15 OR S19)(S)S5
```

10/3,K/1   (Item 1 from file: 9)
DIALOG(R)File   9:Business & Industry(R)
(c) 2003 Resp. DB Svcs. All rts. reserv.

2916325 Supplier Number: 02916325   (USE FORMAT 7 OR 9 FOR FULLTEXT)
Chairman of Oshkosh, Wis., Catalog Retailer Leads Firm into Internet Age
(Miles Kimball Co, catalog retailer, expects sales of $165 mil in 2000, vs
   sales of $115 mil in 1992; opens 400,000 sq ft operations center;
   launches online stores in spring-2000)
The Milwaukee Journal Sentinel , p N/A
September 05, 2000
DOCUMENT TYPE: Regional Newspaper (United States)
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 1208

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

TEXT:
...had bought Exposures, a Norwalk, Conn., catalog company that targets
more affluent customers. Exposures sells **products** for **storing** and
displaying **photographs** and other high-end home decor.

When the time came to put the company up...

10/3,K/2   (Item 1 from file: 15)
DIALOG(R)File   15:ABI/Inform(R)
(c) 2003 ProQuest Info&Learning. All rts. reserv.

01973617 48086979
A new vision of the network of the future
Nolle, Thomas
Network World v17n3 PP: 47 Jan 17, 2000
ISSN: 0887-7661 JRNL CODE: NWW
WORD COUNT: 738

...TEXT: be transported as IP packets.

Even at the device level, service grooming in the access **network** changes
the whole **picture** .Vendors once **visualized** next-generation voice
 products as having voice-data features to handle the users' demand for
multiple services.With each...

10/3,K/3   (Item 2 from file: 15)
DIALOG(R)File   15:ABI/Inform(R)
(c) 2003 ProQuest Info&Learning. All rts. reserv.

00929814 95-79206
Rx for a successful RFP
Frappaolo, Carl
Network World v11n43 PP: 47-49 Oct 24, 1994
ISSN: 0887-7661 JRNL CODE: NWW
WORD COUNT: 1899

...TEXT: forms of compression supported.

* Scanning--Explain how your offering handles color images. Fully describe
your **product** 's method of inputting, **displaying** , **storing** and archiving
 images .

Obviously, these examples are just the tip of the iceberg in designing a
thorough, concise...

10/3,K/4   (Item 3 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)

00762796 94-12188
Group insurance
Lazar, Jerry
Network World v10n37 PP: S24-S25 Sep 13, 1993
ISSN: 0887-7661 JRNL CODE: NWW
WORD COUNT: 2320

...TEXT: vendors and equipment as well as the discounted prices for the
gear.

In addition, this **database** includes **photographs** of ·**products** along
with their **descriptions** . "We always try to have at least two suppliers,"
Quinlan says. "Branch offices are encouraged...

10/3,K/5   (Item 1 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter

12887242 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Modesto, Calif., Internet Firm Creator Deals with Companys Bankruptcy
J.N. Sbranti
KRTBN KNIGHT-RIDDER TRIBUNE BUSINESS NEWS (MODESTO BEE - CALIFORNIA)
September 16, 2000
JOURNAL CODE: KMOB   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 609

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   like golf balls emblazoned with a company's mascot.
    Promonium computerized those catalogs, filling its **database** with
photos   and   **descriptions**   of nearly 80,000 **products**   from 200
manufacturers around the world.
    That database was to be used by Adventures in...

10/3,K/6   (Item 2 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter

12687900 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Chairman of Oshkosh, Wis., Catalog Retailer Leads Firm into Internet Age
Doris Hajewski
KRTBN KNIGHT-RIDDER TRIBUNE BUSINESS NEWS (MILWAUKEE JOURNAL SENTINEL -
WISCONSIN)
September 05, 2000
JOURNAL CODE: KMJS   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1234

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   had bought Exposures, a Norwalk, Conn., catalog company that
targets more affluent customers. Exposures sells **products** for **storing**
and **displaying** **photographs** and other high-end home decor.
    When the time came to put the company up...

10/3,K/7   (Item 3 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter

09736543 (USE FORMAT 7 OR 9 FOR FULLTEXT)
CNET and WarrantyNow Form Strategic Marketing Partnership to Syndicate Extended Warranty Services Through CNET's Commerce Channels
PR NEWSWIRE
February 24, 2000
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 394

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   the most comprehensive and up-to-date product data to its licensees
with a standardized **database** of **photos** , detailed **descriptions** and
technical specifications of **products** . In Q1 of 2000, WarrantyNow will
define the extended warranty product, in-home installation service...

 10/3,K/8   (Item 4 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

07351072 (USE FORMAT 7 OR 9 FOR FULLTEXT)
/C O R R E C T I O N -- CNET, Inc. (Nasdaq: CNET)/
PR NEWSWIRE
September 21, 1999
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 894

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   product information.
    CNET Data Services, the premier source of technology product
information, provides a standardized **database** of **photos** , detailed
 descriptions and technical specifications of **products** -- all
information critical for purchasing decisions. As a CNET Data Services
subscriber, Outpost.com will...

 10/3,K/9   (Item 5 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

07316621 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Outpost.com Taps CNET Data Services to Power Shopping Directory
PR NEWSWIRE
September 20, 1999
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 562

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

      CNET Data Services, the premier source of technology product
information, provides a standardized **database** of **photos** , detailed
 descriptions and technical specifications of **products** -- all
information critical for purchasing decisions. As a CNET Data Services
subscriber, Outpost.com will...

 10/3,K/10   (Item 6 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

06403706 (USE FORMAT 7 OR 9 FOR FULLTEXT)
CNET, Inc. Acquires GDT
PR NEWSWIRE
July 27, 1999

(USE FORMAT 7 OR 9 FOR FULLTEXT)

...   built the world's premier source of technology product information
-- a multi-language, multi-market **database** of **product** **images ,**
descriptions   and specifications. GDT's leading database will greatly
enhance CNET' Shopping Services by immediately providing...

10/3,K/11   (Item 7 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

03080219
CAE Wins Contract From U.S. Airlines For Airbus A330 Full Flight Simulator
CANADA NEWSWIRE
October 12, 1998
JOURNAL CODE: WCNW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 485

... for the Airbus A330 simulator is the latest in the popular line of
MAXVUE(TM) **image** generators, **display** and **database** **products ,**
building on a reliable proven architecture with the latest technology to
offer higher performance to...

10/3,K/12   (Item 8 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

02829351 (USE FORMAT 7 OR 9 FOR FULLTEXT)
 **CAE ELECTRONICS: CAE Electronics Ltd to supply US Airways with three full
    flight simulators**
M2 PRESSWIRE
September 10, 1998
JOURNAL CODE: WMPR   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 334

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   Plus selected for the A320 simulator is the latest in the popular
line of MAXVUE **image** generators, **display** and **database** **products ,**
building on a reliable proven architecture with the latest technology to
offer higher performance to...

10/3,K/13   (Item 9 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

02753992 (USE FORMAT 7 OR 9 FOR FULLTEXT)
CAE Electronics Ltd. To Supply US Airways With Three Full Flight Simulators
CANADA NEWSWIRE
September 09, 1998
JOURNAL CODE: WCNW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 474

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   selected for the A320 simulator is the latest in the popular line
of MAXVUE(TM) **image** generators, **display** and **database** **products ,**
building on a reliable proven architecture with the latest technology to
offer higher performance to...

10/3,K/14   (Item 10 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

02146308 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**Continental Airlines Awards CAE Contract For Two Maxvue Plus(TM) Visual
    Systems**
CANADA NEWSWIRE
July 08, 1998   11:35
JOURNAL CODE: WCNW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 390

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

      MAXVUE Plus(TM)'' is the latest in the popular line of MAXVUE(TM)
 image generators, **display** and **database**   **products** , building on a
reliable proven architecture with the latest technology to offer higher
performance to...

10/3,K/15   (Item 11 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

02056591 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**Polaroid Delivers Software Database Solution For Managing Photos and
    Information**
PR NEWSWIRE
June 29, 1998   9:16
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 593

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   who
    need to easily and quickly organize, sort, retrieve and integrate
images and
    data.   The   **DisplayCase**   2   **product**   is a simple **database** for
managing **pictures** and
    information within data-entry forms, reports and presentation.
    "The DisplayCase 2 system features an...

10/3,K/16   (Item 12 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

01347215 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**CAE: Continental Airlines purchases package of four simulators from CAE
    Electronics Ltd.**
M2 PRESSWIRE
April 09, 1998
JOURNAL CODE: WMPR   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 208

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   Plus visual system, Continental is purchasing the latest in CAE's
popular line of MAXVUE **image** generators, **display** and **database**
 products . Building on a reliable proven architecture, coupled with the
latest technology, MAXVUE Plus offers higher...

Search performed by Sylvia Keys   December 15, 2003

10/3,K/17   (Item 1 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0510308   BW0014

**PROFILE CORNERSTONE: Corporate Profile for Cornerstone Imaging, Inc., dated
    Aug. 18, 1995**

August 18, 1995

Byline: Business Editors

    ...and
services products that optimize productivity in Document Image
Processing (DIP) applications. Cornerstone specializes in **products**
that support the scanning and **display** of digitally- **stored**
 images , processes critical to the efficiency of DIP users. The
company is the leading provider of...

10/3,K/18   (Item 2 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0435201   BW1062

**FILENET: FileNet eases workflow application development with custom
    controls for Visual Basic**

October 10, 1994

Byline: Business Editors & Computer/Electronics Writers

    ...reusable programming
objects for many functions currently available in FileNet's WorkForce
Desktop and WorkShop **products** , including **image** **display** and
manipulation, **database** query, logon, document entry, print, fax,
WorkFlo services, and access to FolderView software features.
    FolderView...

10/3,K/19   (Item 3 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0399117   BW729

**FILENET 4: FileNet announces Visual Basic custom controls, ships OS/2
    versions of WorkFlo products**

April 19, 1994

Byline: Business Editors & Computer/Electronics Writers

    ...programming objects for many of the functions currently available in

the WorkForce Desktop and WorkShop **products** , including **image** **display**
and manipulation, **database** query, logon, document entry, print, fax,
WorkFlo services, and access to FolderView software features.
FolderView...

10/3,K/20   (Item 1 from file: 813)
DIALOG(R)File 813:PR Newswire

Search performed by Sylvia Keys   December 15, 2003

0729456   SJ002
**DEVELOPER SUPPORT STRONG FOR MACINTOSH SYSTEM 7.5; APPLE ANOUNCES PRICING
    AND UPGRADES**

DATE: August 2, 1994   03:08 EDT   WORD COUNT: 2,832

...level, professional scan and manipulation
      program

      System 7.5 Support: Macintosh Drag and Drop, AppleScript

      Product : Cumulus PowerLite 2.0

      Description : Single-user **image** and media **database**

      System 7.5 Support: Macintosh Drag and Drop, AppleScript

      Product : Cumulus PowerPro 2.0

      Description : Client/server **image** and media **database**
      System 7.5 Support: Macintosh Drag and Drop, AppleScript

      Press Contact: Ralf Beuschlein, 415-431...

 10/3,K/21   (Item 1 from file: 16)
DIALOG(R)File   16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

07649090   Supplier Number: 62949945   (USE FORMAT 7 FOR FULLTEXT)
hotproducts.(semiconductors)(Brief Article)
Ames, Benjamin B.
Design News, v55, n10, p31
May 15, 2000
Language: English   Record Type: Fulltext
Article Type: Brief Article
Document Type: Magazine/Journal; Refereed; Academic Trade
Word Count: 899

...   networking infrastructure and telecommunications, as well as
control processing in applications such as routers, switches, **network**
storage applications, and **image**   **display** systems. Motorola: **Product**
Code 5085 or Circle 506
      Copper is tops for speedy chips
      IBM is using new...

 10/3,K/22   (Item 2 from file: 16)
DIALOG(R)File   16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

04960696   Supplier Number: 47289390   (USE FORMAT 7 FOR FULLTEXT)
Sterling Unveils Suite of Web Utilities
MIDRANGE Systems, p035
April 11, 1997
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 301

...   Web Suite, allows retailers to build Web storefronts, where
consumers can search an on-line **database** , view **product**   **images** and
descriptions , place orders and pay for **products** .
      Merchant Server also allows Gentran: Server for Windows NT to route

                    Search performed by Sylvia Keys   December 15, 2003

10/3,K/23   (Item 3 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

03060556   Supplier Number: 44165768   (USE FORMAT 7 FOR FULLTEXT)
**SYS-TECH SOLUTIONS, INC. UNVEILS TOTAL INTEGRATED PACKAGING SECURITY SYSTEM
   TIPS(TM) 2000**
News Release, pN/A
Oct 15, 1993
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 467

...   the user interface monitor. In addition to viewing
      real time images, users can elect to **display   stored   images** of
       products that have been rejected by the system. This feature
      eliminates the need to have multiple...

10/3,K/24   (Item 4 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

01718615   Supplier Number: 42145897   (USE FORMAT 7 FOR FULLTEXT)
CAD DATABASE FROM DE-STA-CO OFFERS DESIGN ASSISTANCE
News Release, p1
June 11, 1991
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 351

...   blank
      magnetic material and return shipping charges.

      The company's copyright permits duplication of the **database**
, provided
       the **images** are used to **represent** De-Sta-Co **products** only, and
      provided the copyright message is applied to any copies.

      If a computer-aided...

10/3,K/25   (Item 5 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

01655179   Supplier Number: 42051842   (USE FORMAT 7 FOR FULLTEXT)
KOFAX (R) IMAGE PRODUCTS **INTRODUCES KF-9500 DOCUMENT** DISPLAY **SYSTEM;**
   TARGETS NETWORKED   IMAGE **APPLICATIONS REQUIRING FAST RETRIEVAL UNDER**
   WINDOWS (TM)
News Release, p1
May 1, 1991
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 694

KOFAX (R) IMAGE PRODUCTS **INTRODUCES KF-9500 DOCUMENT** DISPLAY **SYSTEM;**
   TARGETS NETWORKED   IMAGE **APPLICATIONS REQUIRING FAST RETRIEVAL UNDER**
   WINDOWS (TM)
...   727-1733

      Karen Allen

R.L. Couch Eublic Relatiom
(714)474-9111

KOFAX (R) IMAGE **PRODUCTS** INTRODUCES KF-9500 DOCUMENT
DISPLAY SYSTEM; TARGETS **NETWORKED** **IMAGE** APPLICATIONS
REQUIRING FAST RETRIEVAL UNDER WINDOWS (TM)

WASHINGTON, D.C., May 1, 1991 - Targeting PC...

10/3,K/26   (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

07042790   SUPPLIER NUMBER: 15556487
AT&T plans multimedia-ready 800 service. (Race for Multimedia Crown Speeding Up)
Booker, Ellis
Computerworld, v28, n26, p12(1)
June 27, 1994
ISSN: 0010-4841   LANGUAGE: ENGLISH   RECORD TYPE: ABSTRACT

...ABSTRACT: of voice, data or video. Such a service could be used to
access an inventory **database** , **displaying** **images** of **products** , or
customers could use the service to conduct simultaneous voice and data
calls. AT&T...

10/3,K/27   (Item 2 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

05809846   SUPPLIER NUMBER: 11883058   (USE FORMAT 7 OR 9 FOR FULL TEXT)
NHMA offers new database. (National Housewares Manufacturers Association) (Brief Article)
Appliance, v49, n1, p17(2)
Jan, 1992
DOCUMENT TYPE: Brief Article   ISSN: 0003-6781   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 132   LINE COUNT: 00012

   By feeding manufacturer SKUs, UPC codes, **product** dimensions and
descriptions , category information, and high resolution **product** **images**
into a single **database** , we will be providing retailers and wholesalers
with valuable purchasing, display, and inventory assistance," said...

10/3,K/28   (Item 3 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

05543412   SUPPLIER NUMBER: 11706375   (USE FORMAT 7 OR 9 FOR FULL TEXT)
NHMA offers product data via planogram. (National Housewares Manufacturers Association) (Brief Article)
HFD-The Weekly Home Furnishings Newspaper, v65, n52, p47(1)
Dec 23, 1991
DOCUMENT TYPE: Brief Article   ISSN: 0746-7885   LANGUAGE: ENGLISH
RECORD TYPE: FULLTEXT
WORD COUNT: 247   LINE COUNT: 00021

...   tool," said Thomas Conley, executive director of the NHMA. "By
feeding manufacturer SKUs, UPC codes, **product** dimensions and
descriptions , category information and high resolution **product** **images**
into a single **database** , we will providing retailers and wholesalers with
valuable purchasing, display and inventory assistance."

Search performed by Sylvia Keys   December 15, 2003

10/3,K/29   (Item 1 from file: 621)
DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2003 The Gale Group. All rts. reserv.

01072327   Supplier Number: 40368096   (USE FORMAT 7 FOR FULLTEXT)
**ARDENT COMPUTER ESTABLISHES LICENSING PROGRAM FOR BUS ARCHITECTURE OF TITAN
    GRAPHICS SUPERCOMPUTER**
News Release, p1
April 28, 1988
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 574

...   of
    devices that demand extremely high I/0-to-memory bandwidth, such as
    signal processing, **image** processing, highspeed **networking**
 and mass-
    storage **products** .

    Titan, introduced March 1, **represents** a new class of computer -- the
    graphics supercomputer -- that couples the computational speed of a...

10/3,K/30   (Item 1 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

03923526   Supplier Number: 50159951   (USE FORMAT 7 FOR FULLTEXT)
POLAROID INTROS DATABASE SOLUTION FOR MANAGING PHOTOS AND INFORMATION
Microprocessor Report, v30, n13, p3
July 6, 1998
Language: English   Record Type: Fulltext
Article Type: Article
Document Type: Newsletter; Refereed; Trade
Word Count: 320

...   need to easily and quickly organize, sort, retrieve and integrate
images and data. The new **DisplayCase2   product** is a simple **database**
for managing **pictures** and information within data-entry forms, reports
and presentations.
    DisplayCase2 features an intuitive Windows interface...

15/3,K/1   (Item 1 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

12022367 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**ez prints Announces Photoloft Partnership; Integrated e-Photofinishing
   Service Provides Print Solution for Leading Photo Sharing and E-commerce
   Site**
BUSINESS WIRE
July 20, 2000
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 631

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   click on the "Loft Shop" icon to order high-quality prints and
reprints of their **stored   images** . **Products   available** include prints
from wallet size to 4x6, 5x7 and 8x10, as well as larger 11x14...

   15/3,K/2   (Item 2 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

04235788 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**Computhink   Inc.   and   Whetstone   Software Merge   to   Extend   Powerful
   Image-Enabling Solutions to Novell Customers**
PR NEWSWIRE
February 04, 1999
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 372

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   the GroupWise application desktop. The product line also includes
The Paperless Office, a small business **network** -based document and **image**
 management product. These **products** will continue to be made **available**
through existing Novell resellers and Computhink Distribution Partners
worldwide.
      Computhink Inc.
      Computhink Inc., part of...

   15/3,K/3   (Item 3 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

03169340 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Virtual Motion Merges With German Software Leader acotec GmbH
PR NEWSWIRE
October 21, 1998   6:21
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 1054

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   network access for mobile users and Internet access for users on
the corporate local area **network** (LAN).
      Press   releases, **photographs** , **product**   information and trial
software   are   **available**   on   web   sites at: http://www.acotec.de and
http://www.virtualmotion.com
      /CONTACT: Anselm...

   15/3,K/4   (Item 4 from file: 20)

02595019 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Cytogen Names Dr. H. Joseph Reiser President and Chief Executive Officer
PR NEWSWIRE
August 24, 1998
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 649

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   s filings with the Securities and Exchange Commission, including
commercial acceptance of the Company's **products** .
   /NOTE TO EDITORS: Photo **available** on AP **Photo Network** at URL:
http://www.newscom.com./ /Company News On-Call: http://www.prnewswire.com
or...

   15/3,K/5   (Item 5 from file: 20)

01275625 (USE FORMAT 7 OR 9 FOR FULLTEXT)
**The LivePix Company and Kodak Collaborate to Offer Users More Ways to
   Digitize and Share Photos**
BUSINESS WIRE
March 30, 1998   8:59
JOURNAL CODE: WBWE   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 376

   (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   wide range of commercial, professional and health-care
applications. The latest information on the Kodak **picture network** and
other Kodak **products** and services is **available** on the Internet at http:

   15/3,K/6   (Item 1 from file: 810)

0800133   BW1069

**MICROMUSE: Micromuse Announces Netcool Service-Level Management Suite for
   Internet Services**

January 27, 1998

Byline: Business Editors & High Tech Writers

   ...forwards that data to a central data repository of all
network events, presenting the "big **picture** " of **network** status and
availability . In doing so, the **product** delivers a business-critical
capability for service providers. Additionally, these organizations
will now be able...

   15/3,K/7   (Item 2 from file: 810)

0790787   BW0167

RPT MERISEL INC: Merisel Inc. Offers Marketing and Advertising Services to

VARs; Dedicates Resources in Marketing, Creative Services and Financial
Services

January 05, 1998

Byline: Business Editors

    ...order catalogs, as well as smaller, seasonal,
       niche-market or point-of-purchase catalogs
    -- Information **database** -- product details, color **photos** ,
       manufacturer logos and **product** spec sheets now **available** in CD
       format for designing marketing materials or Web sites
    Merisel's Creative Services team...

  15/3,K/8   (Item 3 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0783597   BW0391

INMEDIA PRESENTATION: Kodak to Integrate InMedia's Award Winning Slides &
   Sound Plus with Kodak(TM) Picture Network

December 09, 1997

Byline: Business Editors

    ...a
wide range of commercial, professional and healthcare applications.
The latest information on the Kodak **picture** **network** and other Kodak
 products and services is **available** on the Internet at
http://www.kodak.com .
    ABOUT INMEDIA
    InMedia develops multimedia presentation software...

  15/3,K/9   (Item 4 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0571938   BW1159

FOREFRONT AI SOFT: FOREFRONT INITIATES GLOBAL DISTRIBUTION STRATEGY,
   ANNOUNCES ALLIANCE WITH EPSON SUBSIDIARY A.I. SOFT; Agreement Includes
   Joint Development, Joint Marketing, and Distribution of Japanese
   Products

April 03, 1996

Byline: Business Editors

    ...companies,
government agencies, and universities in 34 countries.
    PHOTO NOTE: Graphics of ForeFront's WebWhacker **product** is
 available via Wieck **Photo** **DataBase** to any newspaper or media outlet
with telephoto receiver, or electronic darkroom that can accept...

  15/3,K/10   (Item 5 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0420964   BW1076

T3PLUS NETWORKING: Companies can now connect remote LAN users at full
native LAN speeds using new T3plus broadband network offerings

August 1, 1994

Byline: Business Editors/Computer and Networking Writers

    ...Note to editors: T3plus is a registered trademark and BMX45 is a
trademark of T3plus **Networking** Inc. **Product photo** is **available** .

    CONTACT: T3plus Networking
             Laura Stiff, 408/986-4243
    KEYWORD: CALIFORNIA
    INDUSTRY KEYWORD: COMPUTER/ELECTRONICS COMED

 15/3,K/11   (Item 6 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0286089   BW616

**LUXCOM: Luxcom announces IBM connectivity solution for token ring and
    Ethernet networks**

July 1, 1992

Byline: Business Editors/Computer Writers

    ...of the L.M.
Ericsson company based in Sweden.

    Note to Editors: Black and white **product photo available** .
Universal Premises **Network** is a trademark of Luxcom Inc.

    CONTACT: Luxcom Inc., Fremont
              Mike Shields, 510/770-3340...

 15/3,K/12   (Item 1 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

1178786   NEM027
**Nashua Corporation's Photo Group Offers New Digital Product For Organizing
    Photos**

DATE: November 3, 1997   09:57 EST   WORD COUNT: 473

... Nashua Corporation (NYSE: NSH) today announced that its Photo Group has
introduced a new digital **product** , FotoKeepsake, for **storing**
 photographs . **Available** nationwide and marketed under the York Photo
brand, FotoKeepsake offers amateur photographers a high- tech...

 15/3,K/13   (Item 2 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

1125905   LAW092
**Lexus Retakes Lead in Customer Satisfaction, Tops J.D. Power CSI Study Six
    of Seven Years Eligible**

DATE: July 16, 1997   17:44 EDT   WORD COUNT: 231

Search performed by Sylvia Keys   December 15, 2003

NOTE TO EDITORS: Electronic images of Lexus **products** are **available** via Weick **photo** **database** or through the Lexus news media website: http://pressroom.lexus.com

CONTACT: Mike Michels, 310...

15/3,K/14 **(Item 3 from file: 813)**
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

1025407   NYTH040
Baxter's Hemoglobin Therapeutic, HemAssist, First To Reach Advanced Stage Surgery & Trauma Research

DATE: November 21, 1996   08:55 EST   WORD COUNT: 620

...products, which develops technologies and
systems to improve intravenous medication delivery and distributes disposable
medical **products** .

Baxter logo **available** via Wieck **Photo** **Database** , 214-392-0888.

Baxter press releases available via Company News On-Call fax service,
1...

15/3,K/15 **(Item 4 from file: 813)**
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0999063   PHTU035
Subaru of America Announces FAX-ON-DEMAND Service

DATE: September 24, 1996   16:41 EDT   WORD COUNT: 169

...corporate and executive information.

The FAX-ON-DEMAND phone number is 1-888-AWD-FAX9.

Product photographs are also **available** through the Wieck **Photo**
Database at
1-214-392-7691. For information on using the Wieck Database, dial
1-214...

15/3,K/16 **(Item 5 from file: 813)**
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0997102   SFTH018
Clif Bar Introduces Shot: The Athletic Energy Gel Featuring Innovative Packaging

DATE: September 19, 1996   07:00 EDT   WORD COUNT: 443

EDITOR'S NOTE: **Product** photo **available** through Wieck **Photo** **Database**
,
214-392-0888. For full media kit and interviews, call Weis PR, 510-841-9347
...

15/3,K/17 **(Item 6 from file: 813)**
DIALOG(R)File 813:PR Newswire

Search performed by Sylvia Keys   December 15, 2003

0963312   DEW015
THOUSANDS FOLLOW CLUES, FIND THE ANSWERS IN FORD'S INTERNET SCAVENGER HUNT

DATE: June 19, 1996   11:19 EDT   WORD COUNT: 321

...313-336-9655, both of Ford

    Scavenger hunt screen graphics and photography of all Ford **products**
are **available** from Wieck **Photo   Database** , 214-392-0888

    (F)

 15/3,K/18   (Item 7 from file: 813)
DIALOG(R)File 813:PR Newswire

0953310   DEW028
CYBER SCAVENGER HUNTERS EXPLORE FORD WEB SITE

DATE: May 22, 1996   12:34 EDT   WORD COUNT: 475

...Flake of Ford, 313-323-0646

    Scavenger hunt screen graphics and photography of all Ford **products**
are **available** from Wieck **Photo   Database** , 214-392-0888

    (F)

 15/3,K/19   (Item 8 from file: 813)
DIALOG(R)File 813:PR Newswire

0951818   NYM002
**UNITED   NATIONS   INITIATES   INTERNATIONAL   STUDY   OF   NEW   BIOADHESIVE
    CONTRACEPTIVE FOR PREVENTION OF SEXUALLY TRANSMITTED DISEASES AND HIV**

DATE: May 20, 1996   08:01 EDT   WORD COUNT: 206

...of ROC Communications, Inc.,
212-246-1044; or Mary Kay Staten-Long of Lake Consumer **Products** , Inc.,
800-635-3696

    Photo **available** via Wieck **Photo   DataBase** , 214-392-0888.

    (COB)

 15/3,K/20   (Item 9 from file: 813)
DIALOG(R)File 813:PR Newswire

0945177   DEF003
**LOW-COST   HOUSEHOLD   DEVICE   OFFERS   FLOOD   PROTECTION   FOR HOMEOWNERS IN 4
    MIDWESTERN STATES**

DATE: May 3, 1996   08:58 EDT   WORD COUNT: 397

CONTACT: Gregory Peabody, Vice President, Sales & Marketing of
MP Pumps, Division of Tecumseh **Products** , 800-563-8006

    Photo **available** via Wieck **Photo   DataBase** , 214-392-0888.

                    Search performed by Sylvia Keys   December 15, 2003

15/3,K/21   (Item 10 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0918468   NYFNSP1
FARMS ADAPT COMMON IRRIGATION PUMP TO FLOOD CONTROL

DATE: February 27, 1996   06:52 EST   WORD COUNT: 353

CONTACT: Gregory Peabody, Vice President, Sales & Marketing, MP
Pumps, Inc., a Division of Tecumseh **Products** Company, 800-563-8006

     Photo **available** via Wieck **Photo**   **Database** , 214-392-0888.

     (TECU)

15/3,K/22   (Item 11 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0914153   PHW013
CARBON MONOXIDE CLAIMS LIVES IN HOMES UNPROTECTED BY CO DETECTORS

DATE: February 14, 1996   11:52 EST   WORD COUNT: 416

CONTACT: Dave Kirby for Holmes **Products** Corporation, 410-539-6888

     Photo **available** via Wieck **Photo**   **Database** , 214-392-0888.

15/3,K/23   (Item 12 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0912936   LAM060
**PARAMOUNT PICTURES, MARVEL COMICS GROUP ·TO LAUNCH MAJOR NEW COMIC BOOK
     IMPRINT**

DATE: February 12, 1996   12:05 EST   WORD COUNT: 772

...Marvel Comics, 212-576-8535; or Karen
Strickholm of The Strickholm Company for Viacom Consumer **Products** ,
310-264-4200

     Photo **available** via Wieck **Photo**   **DataBase** Monday afternoon,
214-392-0888.

     (VIA MRV)

15/3,K/24   (Item 13 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0908660   NYFNSH12
**WHAT'S NEW IN APPLIANCES INNOVATIVE APPLIANCE FEATURES UNVEILED AT THE
     NATIONAL ASSOCIATION OF HOME BUILDERS' SHOW**

DATE: February 1, 1996   06:57 EST   WORD COUNT: 565

NOTE TO EDITORS: Photos of the three above-mentioned **products** are
 available immediately via Wieck **Photo**   **Database** to any media with

Search performed by Sylvia Keys   December 15, 2003

telephoto receiver or electronic darkroom (PC or Macintosh) that can
accept...

15/3,K/25   (Item 14 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0905311
PICS: NEW USDA GUIDELINES MADE SIMPLE WITH HAND-HELD COMPUTER

DATE: January 24, 1996   09:22 E.T.   WORD COUNT: 506

...of the
LifeSign and DietMate hand-held computers can be arranged.

     Free photos (of both **products**) to accompany this story are **available**
immediately via Wieck **Photo   Database** to any media with telephoto
receiver or electronic darkroom, PC or Macintosh, that can accept...

15/3,K/26   (Item 15 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0902815   CLW017
(WITH PHOTO) TO BUSINESS, FOOD AND RETAILING EDITORS:

DATE: January 17, 1996   12:25 EST   WORD COUNT: 377

NOTE TO EDITORS: A free color photo of AriZona soda **products** is
 available immediately via Wieck **Photo   Database** to any media with
telephoto receiver or electronic darkroom, PC or Mac, that can accept...

15/3,K/27   (Item 16 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0898025
W.H. BRADY CO. ACQUIRES FORT LAUDERDALE-BASED CONVERTING COMPANY

DATE: January 3, 1996   09:04 E.T.   WORD COUNT: 473

...TO EDITORS: The W.H. Brady Co. corporate logo and photos of
Brady's president, **products** and corporate headquarters facility are
 available immediately via Wieck **Photo   Database** to any media with
telephoto receiver or electronic darkroom, PC or Macintosh, that can
accept...

15/3,K/28   (Item 17 from file: 813)
DIALOG(R)File 813:PR Newswire
(c) 1999 PR Newswire Association Inc. All rts. reserv.

0888164   NYHFNS3
ZIPPO DEBUTS COMMEMORATIVE OLYMPIC GAMES COLLECTION

DATE: November 30, 1995   06:32 EST   WORD COUNT: 411

EDITORS NOTE: A **product** photo is **available** on the Wieck **Photo**
 Database . Interviews can be arranged with Zippo executives Jim Baldo,
Vice President of Sales and Marketing...

`15/3,K/29        (Item 18 from file: 813)`
DIALOG(R)File 813:PR Newswire

0883552
W.H. BRADY CO. ACQUIRES PRINTING SYSTEMS BUSINESS IN THE UNITED KINGDOM

DATE: November 15, 1995   10:04 E.T.   WORD COUNT: 707

...TO EDITORS: The W.H. Brady Co. corporate logo and photos of
Brady's president, **products** and corporate headquarters facility are
 available immediately via Wieck **Photo**   **Database** to any media with
telephoto receiver or electronic darkroom, PC or Macintosh, that can
accept...

`15/3,K/30       (Item 19 from file: 813)`
DIALOG(R)File 813:PR Newswire

0574448   NE013
WANG EXTENDS IMAGING SERVICES TO IBM AS 400

DATE: March 10, 1993   16:04 EST   WORD COUNT: 651

...AS/400 set is
database independent, so customers can add imaging capabilities
regardless of the **database** they employ.

    OPEN/ **image** for AS/400 **products** are **available** in a variety of
packaging options:

    -- The Base Development Kit includes OPEN/image API for...

`15/3,K/31       (Item 1 from file: 16)`
DIALOG(R)File 16:Gale Group PROMT(R)

04507194   Supplier Number: 46619956 (USE FORMAT 7 FOR FULLTEXT)
SpaceWorks Selects RSA Encryption To Provide Security for Company's
  Electronic Commerce Software.
Business Wire, p8120082
August 12, 1996
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 694

...   OrderManager software features a comprehensive electronic catalog
that includes: a fully searchable product description and **photo**   **database**
; secure, real-time **product** inventory **availability** ; immediate
reseller-specific pricing; cross-marketing of related products; multiple
shipping/delivery options, including drop...

`15/3,K/32       (Item 2 from file: 16)`
DIALOG(R)File 16:Gale Group PROMT(R)

04158537   Supplier Number: 46072711 (USE FORMAT 7 FOR FULLTEXT)
ARIZONA ENTERS SOFT DRINK MARKET WITH SODA SHOP FLAVORS
PR Newswire, p0117CLW017
Jan 17, 1996
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade

Search performed by Sylvia Keys   December 15, 2003

...   1996.

-0-   1/17/96
/NOTE TO EDITORS: A free color photo of AriZona soda **products** is
available immediately via Wieck **Photo** **Database** to any media with
telephoto receiver or electronic darkroom, PC or Mac, that can accept...

15/3,K/33   (Item 3 from file: 16)
DIALOG(R)File   16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

02871896   Supplier Number: 43870035   (USE FORMAT 7 FOR FULLTEXT)
Customization is Key to Case Promotions: National program addresses local
  dealer needs
Promo, v0, n0, p91
June, 1993
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 598

...   to contain campaign product and pricing information and
campaign-specific dealer information. In addition, a **database** of product
images was created and **stored** in a ' **product** library' which was made
available to dealers for making their **product** selections.
     How it works
     Two to three months prior to each campaign (Case runs four...

15/3,K/34   (Item 4 from file: 16)
DIALOG(R)File   16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

02323626   Supplier Number: 43044156   (USE FORMAT 7 FOR FULLTEXT)
SYBASE ROLLS OUT SQL SERVER NLM
Computer Reseller News, p41
June 1, 1992
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 282

...   to jump-start application development before its full database
management system, its own SQL Server **product** , becomes **available** June
15.
     Despite the new **products** , the **database** -server **picture** will
remain incomplete until later this year, when Microsoft, Redmond, Wash., is
expected to release...

15/3,K/35   (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

07896475   SUPPLIER NUMBER: 16945937   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Impact of curriculum revision on media collection.
Etter, Zana C.
Special Libraries, v86, n2, p83(8)
Spring, 1995
ISSN: 0038-6723   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 3785   LINE COUNT: 00310

...   someone uses the program or title.
     Slides and videotapes will be replaced by laser disc **products** or

digital versions **available** over a **network** , showing **images** at much clearer resolutions. Peter Lewis, in the New York Times column "CD-ROM Review...

15/3,K/36   (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01678602   SUPPLIER NUMBER: 15097023   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Face value. (desktop videoconferencing) (includes executive summary and related articles on Colorgraphic's use of desktop video conferencing, the technology issues involved and example products)
Bray, Paul
Which Computer?, v17, n3, p78(4)
March, 1994
ISSN: 0140-3435   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 1540   LINE COUNT: 00115

...   shared access to text and figures, connection to a video recorder, sending high-quality still **images** , transferring **data   files** - are **available** using **products** now coming on to the market or being pilot-tested (see panels on technology and...

15/3,K/37   (Item 1 from file: 621)
DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2003 The Gale Group. All rts. reserv.

01109201   Supplier Number: 40794432   (USE FORMAT 7 FOR FULLTEXT)
IMAGE RETRIEVAL CAPABILITIES ANNOUNCED FOR SEARCHEXPRESS
News Release, p1
May 17, 1989
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 416

...   features.

    SearchExpress is available for $695. Images, horizontal scrolling, notepad and other advanced features are **available** as a $99 add-in **product** , called **Image** -Express. The **network**
version of SearchExpress
    is $1500.

    The CD-ROM version of SearchExpress is available for $5...

15/3,K/38   (Item 2 from file: 621)
DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2003 The Gale Group. All rts. reserv.

01012603   Supplier Number: 39612077   (USE FORMAT 7 FOR FULLTEXT)
PHOTOBASE (TM) MERGES PICTURES WITH DATA BASE MANAGEMENT SYSTEMS
PR Newswire, pN/A
Oct 17, 1985
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 378

...   PICTURES WITH DATA BASE MANAGEMENT SYSTEMS

    Merrimack, New Hampshire - Chorus Data Systems, Inc. announces the **availability** of PhotoBase (TM) , a unique **product** that merges **pictures** with **data   base**

Search performed by Sylvia Keys   December 15, 2003

systems for such applications as personnel
files, real estate listings, product cataloging, credit verification
and...

15/3,K/39   (Item 1 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01401933   Supplier Number: 41805854   (USE FORMAT 7 FOR FULLTEXT)
Business Developments: Acquisitions and Agreements--Table 16, AGREEMENTS
The BBI ·Newsletter, v14, n1, pN/A
Jan 21, 1991
Language: English   Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 519

...   novel computed radiography reader that will read from storage
phosphor plates and transmit via medical **image** data **networks** to
diagnostic workstations. **Product   availability** is projected for the
second half of 1991.
      * EFFNER (Berlin, D) has reached an agreement...

15/3,K/40   (Item 2 from file: 636)
DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01121688   Supplier Number: 40851688   (USE FORMAT 7 FOR FULLTEXT)
**OPTICAL DISK AND LASERCARD(TM) BY WILLIAM SAFFADY LaserDATA Announces New
   Workstations**
Optical Information Systems Update, v8, n10, pN/A
July 1, 1989
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 460

...   image decompression. While software-based decompression offers a
lower level of performance than hardware-based **products** , the
availability of Add+ **Images** allows **network** -oriented users to select
components appropriate to particular workstation requirements.
      In another development, LaserData recently...

1293036 Supplier Number: 01293036
Here's one for your Xmas list
**(US sales of color printers will total 8 mil units in 1995, up 15% vs 1994,
    according to analysts)**
Forbes, v 156, n 7, p 190+
September 25, 1995
DOCUMENT TYPE: Journal ISSN: 0015-6914   (United States)
LANGUAGE: English RECORD TYPE: Abstract

ABSTRACT:
...of about half, has begun including a Kodak mailer that offers free
development of conventional **photos** that are **stored** on a CD-ROM instead
of being printed. If the user wants a hard copy...

...market, is already selling its printers with software that creates and
prints stickers, coloring books, **T   shirts** and Hallmark cards.
Purchases of color printers can also lead to purchases of other electronic
products. Canon, for example...

 19/3,K/2   **(Item 1 from file: 15)**

01736823 03-87813
Virtually made to order
Falkenberg, Lisa
Money v1n2 (money.com Supplement) PP: 60-61 Fall 1998
ISSN: 0149-4953 JRNL CODE: MON
WORD COUNT: 717

...TEXT: back, you or anyone with your password can view them at
Kodak.photonet.com.The **pictures** are **stored** on the site for 30 days;
this allows you plenty of time to **order** postcards, mousepads and coffee
 mugs with your pictures on them.

As technology brings down the cost of mass customization, more...

 19/3,K/3   **(Item 1 from file: 20)**

13706280 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Nikon Launches Industry's First One-Stop Photo Web Site
PR NEWSWIRE
November 09, 2000
JOURNAL CODE: WPRW   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 993

    (USE FORMAT 7 OR 9 FOR FULLTEXT)

...   prints that can be mailed to a user-specified address; send photo
e-cards; and **order** personalized photo-gifts including **T - shirts** and
coffee mugs. Aspiring or professional photographers, as well as everyday
picture-takers, can share...

 19/3,K/4   **(Item 1 from file: 16)**

04732022   Supplier Number: 46965952 (USE FORMAT 7 FOR FULLTEXT)
Seeing your photos a whole new way.
Business Wire, p12121138
Dec 12, 1996
Language: English   Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 800

...   by retailer, their film is uploaded to a participating PhotoNet
retailer's Online PhotoCenter. Their **photos** are automatically **stored**
for thirty days and can be accessed by using a secure film
identification/access code. Once online, downloads and distribution via
email are free of charge. The consumer can easily **order** reprints,
enlargements, and photo gifts (**mugs** , mousepads). The consumer can also
catalog and store their images for longer than thirty days...

...to 100 years). The PhotoNet technology enables you to enhance images by
downloading any PhotoNet **stored image** into various **photo** editing
software programs, like Adobe's PhotoDeluxe(TM) and MGI's PhotoSuite.
      While the photo...

 19/3,K/5   (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

08124425   SUPPLIER NUMBER: 17389671   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Plastics technology: manufacturing handbook & buyers' guide 1995/96.(Buyers
   Guide)
Plastics Technology, v41, n8, pCOV(941)
August, 1995
DOCUMENT TYPE: Buyers Guide   ISSN: 0032-1257   LANGUAGE: English
RECORD TYPE: Fulltext
WORD COUNT: 174436   LINE COUNT: 15187

...   technology markets. CAD/CAM, CNC machining centers, multiturret
lathes, and ultra-precision EDM. Maintains engineering **database** to
manufacture spares and replacement parts at any time during the life of a
mold...data-acquisition units, can be configured to monitor one to 16
machines. Units can be **purchased** in two styles: 1) keypad version, which
has a 40-character vacuum fluorescent display with...

 19/3,K/6   (Item 2 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

06765353   SUPPLIER NUMBER: 14777033   (USE FORMAT 7 OR 9 FOR FULL TEXT)
The hidden dimensions of marketing.
Morello, Gabriele
Journal of the Market Research Society, v35, n4, p293(21)
Oct, 1993
ISSN: 0025-3618   LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 10785   LINE COUNT: 00848

...   grasp. The 'internal clock' of human beings is not in tune with
mechanical clocks and **calendars** . In **order** to convey the idea of, say,
traffic congestion in Amsterdam, it would be more effective...

...certain rate. To demonstrate what happens somewhere else, all that is
needed is a TV **network** and some good **photographs** . To deal with future
events requires extrapolative thinking, which is more demanding than
watching. The...

```
File 344:Chinese Patents Abs Aug 1985-2003/Nov
         (c) 2003 European Patent Office
File 347:JAPIO Oct 1976-2003/Aug(Updated 031202)
         (c) 2003 JPO & JAPIO
File 350:Derwent WPIX 1963-2003/UD,UM &UP=200380
         (c) 2003  Thomson Derwent
File 348:EUROPEAN PATENTS 1978-2003/Nov W05
         (c) 2003 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20031211,UT=20031204
         (c) 2003 WIPO/Univentio
File 256:SoftBase:Reviews,Companies&Prods. 82-2003/Nov
         (c)2003 Info.Sources Inc
File   2:INSPEC 1969-2003/Dec W1
         (c) 2003 Institution of Electrical Engineers
File  35:Dissertation Abs Online 1861-2003/Oct
         (c) 2003 ProQuest Info&Learning
File  65:Inside Conferences 1993-2003/Dec W2
         (c) 2003 BLDSC all rts. reserv.
File  99:Wilson Appl. Sci & Tech Abs 1983-2003/Oct
         (c) 2003 The HW Wilson Co.
File 233:Internet & Personal Comp. Abs. 1981-2003/Jul
         (c) 2003, EBSCO Pub.
File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
         (c) 2002 The Gale Group
File 474:New York Times Abs 1969-2003/Dec 14
         (c) 2003 The New York Times
File 475:Wall Street Journal Abs 1973-2003/Dec 12
         (c) 2003 The New York Times
File  16:Gale Group PROMT(R) 1990-2003/Dec 12
         (c) 2003 The Gale Group
File 148:Gale Group Trade & Industry DB 1976-2003/Dec 15
         (c)2003 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
         (c) 1999 The Gale Group
File 275:Gale Group Computer DB(TM) 1983-2003/Dec 12
         (c) 2003 The Gale Group
File 621:Gale Group New Prod.Annou.(R) 1985-2003/Dec 15
         (c) 2003 The Gale Group
File 636:Gale Group Newsletter DB(TM) 1987-2003/Dec 12
         (c) 2003 The Gale Group
File   9:Business & Industry(R) Jul/1994-2003/Dec 12
         (c) 2003 Resp. DB Svcs.
File  15:ABI/Inform(R) 1971-2003/Dec 15
         (c) 2003 ProQuest Info&Learning
File  20:Dialog Global Reporter 1997-2003/Dec 15
         (c) 2003 The Dialog Corp.
File  95:TEME-Technology & Management 1989-2003/Nov W5
         (c) 2003 FIZ TECHNIK
File 476:Financial Times Fulltext 1982-2003/Dec 15
         (c) 2003 Financial Times Ltd
File 610:Business Wire 1999-2003/Dec 15
         (c) 2003 Business Wire.
File 613:PR Newswire 1999-2003/Dec 15
         (c) 2003 PR Newswire Association Inc
File 624:McGraw-Hill Publications 1985-2003/Dec 12
         (c) 2003 McGraw-Hill Co. Inc
File 634:San Jose Mercury  Jun 1985-2003/Dec 12
         (c) 2003 San Jose Mercury News
File 810:Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
File 139:EconLit 1969-2003/Dec
         (c) 2003 American Economic Association
File 625:American Banker Publications 1981-2003/Dec 15
```

Search performed by Sylvia Keys   December 15, 2003

?ds

Set   Items   Description
S1   160974   (IMAGE OR IMAGES)(3N)(DB OR DATABASE? OR DATAFILE? OR DATA-
                   ()(BASE? OR FILE?) OR NETWORK? OR STORED OR STORING)
S2   238   S1(5N)(REPRESENT? OR SAMPLE OR SAMPLES OR DESCRIPT? OR DIS-
                   PLAY? OR DEPICT? OR VISUALI?)(5N)(PRODUCT OR PRODUCTS)
S3   21   S2(5N)(CREAT? OR DESIGN? OR CUSTOMI? OR CUSTOM OR PERSONAL-
                   IS? OR PERSONALIZ?)
S4   16   S3 NOT PY>2000
S5   12   RD (unique items)
S6   0   S2(10N)(PROMOTION OR PROMOSTIONS OR PROMOTIONAL? OR GIFT OR
                   GIFTS)

Search performed by Sylvia Keys   December 15, 2003

DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

00292938
Stabilized silyl ketene acetals.
Stabilisierte Silylketenacetale.
Acetals de silyl-cetenes stabilises.
PATENT ASSIGNEE:
   DOW CORNING CORPORATION, (275272), P.O. Box 1767, Midland Michigan 48640,
      (US), (applicant designated states: DE;FR;GB)
INVENTOR:
   Revis, Anthony, 9417 Garfield Road, Freeland, MI, (US)
LEGAL REPRESENTATIVE:
   Sternagel, Hans-Gunther, Dr. et al (46852), Patentanwalte Dr. Michael
      Hann Dr. H.-G. Sternagel Sander Aue 30, W-5060 Bergisch Gladbach 2,
      (DE)
PATENT (CC, No, Kind, Date):   EP 296448   A2   881228 (Basic)
                               EP 296448   A3   910206
                               EP 296448   B1   930728
APPLICATION (CC, No, Date):   EP 88109415 880614;
PRIORITY (CC, No, Date): US 66809 870625
DESIGNATED STATES: DE; FR; GB
INTERNATIONAL PATENT CLASS: C07F-007/18; C09K-015/08;
ABSTRACT WORD COUNT: 57

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	EPBBF1	752
CLAIMS B	(German)	EPBBF1	431
CLAIMS B	(French)	EPBBF1	577
SPEC B	(English)	EPBBF1	2283
Total word count - document A			0
Total word count - document B			4043
Total word count - documents A + B			4043

...SPECIFICATION of the vial. A sample of the freshly distilled SKA was
   analyzed, and will be **designated** as Sample A. Six other **samples** were
   prepared in the above manner, and these **samples** are **designated** **as**
   Samples B, C, D, E, F, and G. These **samples** **were** **stored** sealed
   under ambient conditions. The samples were held for various periods of
   time, and analyzed...

DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00082820   DOCUMENT TYPE: Review

PRODUCT NAMES: netViz 2.0   (024309)

TITLE: Network Visualization Via netVIZ
AUTHOR: Wong, William G
SOURCE: LAN Times,   v12 n17 p101(2) Sep 11, 1995
ISSN: 1040-5917
HOMEPAGE: http://www.lantimes.com

RECORD TYPE: Review
REVIEW TYPE: Review
GRADE: B

REVISION DATE: 20020923

Search performed by Sylvia Keys   December 15, 2003

...many diagramming tools, including flowcharting for process-flow diagrams. Steps can be linked to NetViz **images** , and **created network** drawings are easy to traverse and **display** . The **product** assists network administrators in planning and tracking growing networks, so that problems can be solved...

5/3,K/3   (Item 1 from file: 2)
DIALOG(R)File   2:INSPEC
(c) 2003 Institution of Electrical Engineers. All rts. reserv.

5275680   INSPEC Abstract Number: C9607-7480-016
 Title: **Typology and the organization of design knowledge**
  Author(s): Muller, W.; Pasman, G.
  Author Affiliation: Dept. of Ind. Design Eng., Delft Univ. of Technol.,
Netherlands
  Journal: Design Studies   vol.17, no.2   p.111-30
  Publisher: Elsevier,
  Publication Date: April 1996 Country of Publication: UK
  CODEN: DSSTD5 ISSN: 0142-694X
  SICI: 0142-694X(199604)17:2L.111:TODK;1-I
  Material Identity Number: B261-96002
  U.S. Copyright Clearance Center Code: 0142-694X/96/$15.00
  Language: English
  Subfile: C
  Copyright 1996, IEE

  ...Abstract: extracted from existing form concepts. This model provides a
framework   for   the   structure of an   **image   database** , which makes use of
visual   **representations**   of   prior   **designed   products** , in order to
 create   a   domain   specific   knowledge   base   from   which   the industrial
designer can acquire and apply design...

5/3,K/4   (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

08160605   Supplier Number: 67501387 (USE FORMAT 7 FOR FULLTEXT)
Bentley Systems.(Industry Trend or Event)
CADalyst, v17, n11, p30
Nov, 2000
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 553

...   Cyclone 3.0, is also available. It features a new object database
and support for **networks** . www.cyra.com
        Image Processing Factory sells several **products** for **design
visualization** . MatchMover lets you mix live-action video and 3D models.
Stitcher creates panoramic images from...

5/3,K/5   (Item 2 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

06014780   Supplier Number: 53424815 (USE FORMAT 7 FOR FULLTEXT)
-INTERGRAPH IMPROVES ITS WEB MAP SOFTWARE.
Telecomworldwire, pNA
Oct 28, 1998
Language: English   Record Type: Fulltext
Document Type: Newsletter; Trade
Word Count: 119

Search performed by Sylvia Keys   December 15, 2003

(USE FORMAT 7 FOR FULLTEXT)
TEXT:
...C) 1994-8 M2 COMMUNICATIONS LTD Intergraph has upgraded its GeoMedia Web
Map software. The **product** can be used to generate maps, publish web
pages, **create database** reports, to **display images** and video and to
play audio clips.

5/3,K/6   (Item 3 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2003 The Gale Group. All rts. reserv.

04389012   Supplier Number: 46438244   (USE FORMAT 7 FOR FULLTEXT)
Retooling For The Web
InformationWeek, pA01
June 3, 1996
Language: English   Record Type: Fulltext
Document Type: Magazine/Journal; Tabloid; General Trade
Word Count: 1620

...   and operations to create HTML-based database applications
     Price: Developer price: $675; Run-time: $500
     Product : Image DataBlade
     Description : Tools, object class libraries, and operations to
create image -enabled **database** applications
     Price: Developer price: $1,350; Run-time: $1,000
     Product: 2D & 3D Spatial DataBlades...

5/3,K/7   (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

08727027   SUPPLIER NUMBER: 18355437   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Retooling for the Web: the Big Three databaes vendors extend application
  development offerings. (includes related articles on upcoming databases,
  application developers considering thin clients) (Technology Information)**
Gill, Philip J.
InformationWeek, n582, p1A(4)
June 3, 1996
ISSN: 8750-6874   LANGUAGE: English   RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1681   LINE COUNT: 00148

...   and operations to create HTML-based database applications
     Price: Developer price: $675; Run-time: $500
     Product : Image DataBlade
     Description : Tools, object class libraries, and operations to
create image -enabled **database** applications
     Price: Developer price: $1,350; Run-time: $1,000
     Product: 2D & 3D Spatial DataBlades...

5/3,K/8   (Item 2 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2003 The Gale Group. All rts. reserv.

06391628   SUPPLIER NUMBER: 13122753   (USE FORMAT 7 OR 9 FOR FULL TEXT)
**TRIBUNE COMPANY INVESTS IN PICTURE NETWORK INTERNATIONAL, ELECTRONIC PHOTO
  ARCHIVE AND MARKETING COMPANY**
PR Newswire, 0301NY056R
March 01, 1993
LANGUAGE: ENGLISH   RECORD TYPE: FULLTEXT
WORD COUNT: 598   LINE COUNT: 00050

     PNI, based in Arlington, Va., has developed a system for archiving

Search performed by Sylvia Keys   December 15, 2003

photographic **images** in a computer **database** and allowing publishers to
search, retrieve and license photos online from desktop computers.
     Five leading...

...of the world's most recognized photographers.
     Prospective PNI customers include traditional publishers, newspaper
editors, **designers** and advertising agencies, as well as multimedia and
television producers, educational institutions, and other desktop...

...good fit with us," Longson said. "Their database will make it easier to
develop multimedia **products** . We're excited to be associated with the
people at PNI and SRA who have...
...make us pioneers in the field."
     PNI's customers will be able to search for **images** in a digital
database using plain English **descriptions** of subjects and concepts .
instead of predefined, limited keywords. Users can then browse through the
...

5/3,K/9   (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2003 The Gale Group. All rts. reserv.

01854421   SUPPLIER NUMBER: 17443202   (USE FORMAT 7 OR 9 FOR FULL TEXT)
Highlights from the exhibition. (includes related articles on art
  galleries, publishing, printing and Postscript, and Masters of Media
  showcase)(special supplement to Seybold San Francisco '95) (Industry
  Trend or Event)
Seybold Report on Publishing Systems, v25, n2, pS10(29)
Sep 18, 1995
ISSN: 0736-7260   LANGUAGE: English   RECORD TYPE: Fulltext
WORD COUNT: 24458   LINE COUNT: 02000

...   between Xpress layouts and external files so data can be updated;
Copy DB, a database **designed** to store, manage and preview **product**
descriptions for catalogs and circulars; **Image   DB** , which organizes
images using user- **customizable** naming conventions; and Sign Maker, which
consists of a product database and an Xtension to...

5/3,K/10   (Item 1 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2003 ProQuest Info&Learning. All rts. reserv.

01494175 01-45163
Database protects integrity of on-line product information
Reda, Susan
Stores v79n9 PP: 58-60 Sep 1997
ISSN: 0039-1867 JRNL CODE: STR

...ABSTRACT: protecting their product images for electronic commerce. An
electronic watermark is embedded into the digital **image** of each **product**
   stored   in the databank, **designating**   it as the manufacturer's
authorized **representation** of the item. The databank also provides
Internet Tracker technology, which identifies Web sites using...

5/3,K/11   (Item 2 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2003 ProQuest Info&Learning. All rts. reserv.

01077664 97-27058
Archiving solutions from dataDisc
Anonymous
CD-ROM Professional v8n8 PP: 93-94 Aug 1995

ABSTRACT: QuickImage for Windows from dataDisc is a royalty-free CD-ROM
publishing and archiving **product** that **creates** large and complex **image
  databases** for fast search, retrieval, and **display** .
TEXT: QuickImage for Windows is a royalty-free CD-ROM publishing and
archiving **product** that **creates** large and complex **image   data   bases**
 for fast search, retrieval, and **display** . Applications include archiving
and managing invoices, credit reports, and aerial photographs, as well as
publishing...

5/3,K/12   (Item 1 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2003 The Dialog Corp. All rts. reserv.

03499455
WEB MAPPING ME POSSIBLE THROUGH INTERGRAPH
WORLDWIDE COMPUTER PRODUCT NEWS
November 01, 1998
JOURNAL CODE: WWCP   LANGUAGE: English   RECORD TYPE: FULLTEXT
WORD COUNT: 108

     Intergraph has upgraded its GeoMedia Web Map software. The **product**
can be used to generate maps, publish web pages, **create database**
reports, to **display   images** and video and to play audio clips.The new
version provides direct access to GIS...
?

?ds

Set	Items	Description
S1	17678	(IMAGE OR IMAGES OR PHOTO OR PHOTOS OR PHOTOGRAPH OR PHOTO-GRAPHS OR PICTURE OR PICTURES)(3N)(DB OR DATABASE? OR DATAFILE? OR DATA()(BASE? OR FILE?) OR NETWORK? OR STORED OR STORING)
S2	28901	(REPRESENT? OR SAMPLE OR SAMPLES OR DESCRIPT? OR DISPLAY? - OR DEPICT? OR VISUALI?)(5N)(PRODUCT OR PRODUCTS)
S3	14703	(AVAILABLE OR AVAILABILITY)(5N)(PRODUCT OR PRODUCTS)
S4	217	(ORDER OR ORDERS OR ORDERING OR PURCHAS?)(5N)(SCREENSAVER? OR CALENDAR? OR MUG OR MUGS OR CUP OR CUPS OR (TEE OR T)()(SHIRT OR SHIRTS))
S5	4512	CONTEXTUAL()INTERACTION? OR METADATA?
S6	74	AU=(LINKER, D? OR LINKER D? OR LAND, S? OR LAND S? OR GELF-USO, J? OR GELFUSO J? OR RADCLIFFE W? OR RADCLIFFE W?)
S7	78	S1 AND S2
S8	14	S1(5N)S2
S9	12	S8 NOT PY>2000
S10	12	RD (unique items)
S11	2	S1(5N)S3
S12	2	S11 NOT S10
S13	2	RD (unique items)
S14	1	S1 AND S4
S15	1	S14 NOT (S10 OR S13)
S16	0	(S10 OR S13 OR S14) AND S5
S17	0	S6 AND S1

6523875   INSPEC Abstract Number: A2000-08-4230-008, B2000-04-6135E-145,
C2000-04-1250M-123
  Title: Spectral measurements of two-dimensional color images
   Author(s): Hauta-Kasari, M.; Miyazawa, K.; Toyooka, S.; Parkkinen, J.
   Author Affiliation: Dept. of Inf. Technol., Lappeenranta Univ. of
Technol., Finland
   Journal: Proceedings of the SPIE - The International Society for Optical
Engineering Conference Title: Proc. SPIE - Int. Soc. Opt. Eng. (USA)
vol.3740   p.204-7
   Publisher: SPIE-Int. Soc. Opt. Eng,
   Publication Date: 1999 Country of Publication: USA
   CODEN: PSISDG ISSN: 0277-786X
   SICI: 0277-786X(1999)3740L.204:SMDC;1-C
   Material Identity Number: C574-1999-280
   U.S. Copyright Clearance Center Code: 0277-786X/99/$10.00
   Conference Title: Optical Engineering for Sensing and Nanotechnology
(ICOSN '99)
   Conference Sponsor: SPIE; Opt. Soc. Japan
   Conference Date: 16-18 June 1999   Conference Location: Yokohama, Japan
   Language: English   Document Type: Conference Paper (PA); Journal Paper
(JP)
   Treatment: Theoretical (T); Experimental (X)
   Abstract: We propose a prototype of the spectral vision system, which can
be used to measure a color spectrum and two-dimensional spectral images. We
first designed a low-dimensional broadband color filter set with a
constraint of positive spectral values by the unsupervised neural network.
Then we constructed a compact size optical setup for the spectral
synthesizer, which can be used to synthesize the light corresponding to the
spectral characteristics of the color filter. In the optical setup we
implemented the color filters by the use of a liquid crystal spatial light
modulator. In our experiments we illuminated a sample of a real world scene
by the synthesized lights and detected the intensity images of the
filtering process by the CCD-camera. The intensity images correspond to the
optically calculated inner products between the color filters and a sample.
The data obtained from the filtering process is only a few monochrome
images and therefore convenient for **storing** and transmitting spectral
 images . From the detected inner **products** we reconstructed the **sample**
's color spectra by the use of inverse matrix. We present experimental
results of measuring a single color spectrum and two-dimensional spectral
images. (14 Refs)
   Subfile: A B C
   Descriptors: automatic optical inspection; CCD image sensors; computer
vision; electro-optical filters; image colour analysis; image recognition;
image reconstruction; optical images; optical projectors; pattern
clustering; spatial light modulators
   Identifiers: two-dimensional color images; spectral measurements;
spectral vision system; color spectrum; low-dimensional broadband color
filter set; constraint of positive spectral values; unsupervised neural
network; compact size optical setup; spectral synthesizer; liquid crystal
spatial light modulator; real world scene; intensity images; CCD-camera
detection; optically calculated inner products; inverse matrix; optical
pattern recognition; machine vision; multispectral imaging; competitive
learning; self-organizing map; clustering; projector; image reconstruction
   Class Codes: A4230V (Image processing and restoration); A4230S (Pattern
recognition); A4280C (Spectral and other filters); A4280K (Optical beam
modulators); A4280G (Optical prisms and projection systems); A4280Q (Image
detectors, convertors, and intensifiers); B6135E (Image recognition);
B4190F (Optical coatings and filters); B4150D (Liquid crystal devices);
B7230G (Image sensors); B0170L (Inspection and quality control); C1250M (
Image recognition); C5260B (Computer vision and image processing techniques

); C3355 (Control applications in manufacturing processes); C3240K (Image sensors)

10/5/2   (Item 2 from file: 2)

5275680   INSPEC Abstract Number: C9607-7480-016
 Title: **Typology and the organization of design knowledge**
   Author(s): Muller, W.; Pasman, G.
   Author Affiliation: Dept. of Ind. Design Eng., Delft Univ. of Technol., Netherlands
   Abstract: The paper discusses the organization of design knowledge in the domain of industrial design. It introduces a typological model for the description and decomposition of the design knowledge that can be extracted from existing form concepts. This model provides a framework for the structure of an **image   database** , which makes use of visual **representations** of prior designed **products** , in order to create a domain specific knowledge base from which the industrial designer can acquire and apply design knowledge in the generation and development of new form concepts. (11 Refs)
   Subfile: C
   Descriptors: design engineering; intelligent design assistants; knowledge acquisition; manufacturing data processing; production engineering computing; visual databases
   Identifiers: design knowledge typology; design knowledge organization; industrial design; typological model; image database; visual representations; prior designed products; domain specific knowledge base; industrial designer; design knowledge; form concepts
   Class Codes: C7480 (Production engineering computing); C7160 (Manufacturing and industrial administration); C6160S (Spatial and pictorial databases); C6170K (Knowledge engineering techniques)

10/5/3   (Item 3 from file: 2)

03308900   INSPEC Abstract Number: A89029032, B89016644
 Title: **Ferroelectric optical image comparator using PLZT thin films**
   Author(s): Martin, S.J.; Butler, M.A.; Land, C.E.
   Author Affiliation: Microsensor Div., Sandia Nat. Labs., Albuquerque, NM, USA
   Abstract: A PLZT thin film device has been constructed in which the photoinduced current **represents** the dot **product** between a **stored image** and an **image** projected onto its surface. One-dimensional

autocorrelations have been performed by measuring this current while displacing the projected image. This device has the potential to perform as a high-resolution, high-speed optical comparator. (3 Refs)
   Subfile: A B
   Descriptors: ferroelectric devices; optical information processing; photoconducting devices
   Identifiers: ferroelectric optical image; PLZT/int; photoinduced current; dot product; stored image; autocorrelations; projected image; high-speed optical comparator
   Class Codes: A4280 (Optical devices, techniques and applications); A4230V (Image processing and restoration); B4250 (Photoelectric devices); B6140C (Optical information processing); B2860 (Piezoelectric and ferroelectric devices); B4190 (Other optical system components)

   10/5/4   (Item 1 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00614086   00YI11-003
   Online fashion special
   Bloch, Phillip; Kaiser, Laura Fisher; O'Neill, Meaghan; Callahan, Michael
   Yahoo! Internet Life , November 1, 2000 , v6 n11 p104-115, 12 Page(s)
   ISSN: 1088-0070
   Languages: English
   Document Type: Articles, News & Columns
   Geographic Location: United States
   Presents a special section on the growing popularity of online fashion. Includes the following articles: ``Dot style'' (p104-111) by Phillip Bloch, discussing  the development of Web sites by major department stores and top designers, including Prada, Gucci, and Versace; ``Runway Netway'' (p112) by Laura Fisher Kaiser, discussing fashion sites such as FirstView and Virtual Runway that showcase men's and women's collections straight off the runway; ``Croc the Net!'' (p113) by Meaghan O'Neill, describing various crocodile and lizard skin products that are available online; ``Suit yourself'' (p114-115) by Michael Callahan, discussing the appeal online clothing shopping has to men, citing Joe Boxer, Gap and other places to browse; and ``Self service'' (p115) by Megan Gerrity, discussing virtual dressing room technology that aims to mimic the in-store experience with the use of customizable 3D programs and **databases** . Includes 16 **photos** , 8 **product** summaries, and a screen **display** . (sdb)
   Descriptors: Electronic Shopping; Retailing; Electronic Commerce; Web Sites

   10/5/5   (Item 2 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00612200   00IK10-102
   Time to burn -- TrueTime's TimeVault offers a very accurate standard time reference to enterprise networks
   Zeichick, Alan
   InternetWeek , October 9, 2000 , n832 p46-49, 2 Page(s)
   ISSN: 0746-8121
   Company Name: TrueTime
   URL: http://www.truetime.com
   Product Name: TimeVault
   Languages: English
   Document Type: Hardware Review
   Grade (of Product Reviewed): B
   Geographic Location: United States
   Presents a favorable review of TimeVault ($4,395), a Network Time Protocol (NTP) server appliance from TrueTime of Santa Rosa, CA (707).

Explains that it can **a**cquire extremely accurate time **f**om a variety of
sources. Highlights its ease of setup and configuration, various built-in
administrative interfaces, utilization of built-in Global Positioning
System (GPS) to read time being continuously transmitted from 29
low-earth-orbit satellites, periodic dialling of the United States National
Institute of Standards and Technology's (NIST) Automated Computer Time
Service (ACTS) using a built-in modem and dedicated phone line, and ease of
installation. Mentions, however, that it does not include NTP time clients
or links to them. Concludes that it is extremely useful in situations where
there's a need for extreme time precision, such as in electronic commerce
and **network** management. Includes a **photo** , two sidebars, two screen
displays , and a **product** summary. (MEM)
    Descriptors: Network Server; Clock; Network Management; Electronic
Commerce; Satellite Communication; Global Positioning System;
Client-Server Computing
    Identifiers: TimeVault; TrueTime

10/5/6   **(Item 3 from file: 233)**
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00559097   00OL01-016
    The Federal Web, NTIS database, and more...
    Notess, Greg R
    Online , January 1, 2000 , v24 n1 p57-61, 5 Page(s)
    ISSN: 0146-5422
    Languages: English
    Document Type: Articles, News & Columns
    Geographic Location: United States
    Reports on the controversy surrounding the launching of usgovsearch, an
online service combining the databases and expertise of the Northern Light
Technology LLC search engine and the commercial government organization of
the National Technical Information Service (NTIS). Explains why the Web
site's access fee angered the public. Outlines how the Web site is set up
and what searches can be run. Says that the main advantage is its
inexpensive access to the NTIS database. Thinks that the Web site is worth
a look from anyone who frequently searches for government information.
Observes that it has a larger database than other government search
services and is one of the few that looks for government sites beyond the
.gov and .mil domains. Likes that work on usgovsearch has enabled Northern
Light to offer limited free access to the entire NTIS **database** . Includes
one **photo** , one sidebar, three screen **displays** , and a **product** summary.
(CT)
    Descriptors: Search Engines; Web Sites; Federal Government; Price;
Information

10/5/7   **(Item 4 from file: 233)**
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00462319   97NW06-010
    **One touch is all it takes -- Sometimes a protocol analyzer is overkill.
If you wish for a tool that will guide you straight to a problem, OneTouch
may be your...**
    Frank, Alan; Chae, Lee
    Network , June 1, 1997 , v12 n6 p130-133, 4 Page(s)
    ISSN: 1069-5621
    Company Name: Fluke
    Product Name: Fluke OneTouch Network Assistant
    Languages: English
    Document Type: Hardware Review
    Grade (of Product Reviewed): B
    Hardware/Software Compatibility: Ethernet

Geographic Location: United States
    Presents a favorable review of the OneTouch ($3,695, 10Mbit/sec; $4,995, 10/100Mbit/sec), a hand-held Ethernet network protocol analyzer from Fluke of Everett, WA (206, 800). Explains that this is a simple testing device which is designed to be easy to use for less experienced network support staff. Features a touch-sensitive LCD display, rechargeable battery pack, and AC adapter. Claims that it is a reliable tool for automated testing and system monitoring. Reports that it performed well during testing. Complains, however, that the documentation is somewhat lacking. Concludes that this is a good troubleshooting tool for frontline **network** support. Includes one **photo** , one **product** summary, and three screen **displays** . (kgh)
    Descriptors: Troubleshooting; Data Analysis; Local Area Networks; Testing; Hardware Review; Network Management; Ethernet
    Identifiers: Fluke OneTouch Network Assistant; Fluke

10/5/8   (Item 5 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00457043   97PK04-213
    HP switches slash broadcast traffic -- Although awkward to use, software can boost net performance
    Peterson, Eric
    PC WEEK , April 21, 1997 , v14 n16 p71, 76, 2 Page(s)
    ISSN: 0740-1604
    Company Name: Hewlett-Packard
    Product Name: HP AdvanceStack Series
    Languages: English
    Document Type: Hardware Review
    Grade (of Product Reviewed): C
    Geographic Location: United States
    Presents a mixed review of HP AdvanceStack Series, beta ($2,899), a series of network switches from Hewlett-Packard Co. of Palo Alto, CA (800). Features hardware-based Layer 3, IP and media access control (MAC), and AdvanceStack Assistant software that provides Layer 2 speeds and Automatic Broadcast Control (ABC) features. Notes that these features work well for traffic-intensive sits, where they greatly improve traffic. However, complains that the product is lacking in troubleshooting features, despite its intended capabilities. Concludes that this is an intelligent solution that is worth consideration by small switched **networks** . Includes one **photo** , one **product** summary, three screen **displays** , and two sidebars. (kgh)
    Descriptors: Switches; Network Management; Speed; Administration; Hardware Review; Networks
    Identifiers: HP AdvanceStack Series; Hewlett-Packard

10/5/9   (Item 6 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00456550   97PK04-122
    PowerRite: one-protocol power broker -- Deltec's UPS protects small networks well, but it's not yet ready for large, mixed LANs.
    Campanale, Michelle
    PC WEEK , April 14, 1997 , v14 n15 p117, 119, 2 Page(s)
    ISSN: 0740-1604
    Company Name: Deltec Electronics
    Product Name: PowerRite Pro 2
    Languages: English
    Document Type: Hardware Review
    Grade (of Product Reviewed): B
    Hardware/Software Compatibility: IBM PC Compatible; Microsoft Windows

95; Microsoft Windows; ●crosoft Windows NT; NetWare; ●S; Unix
   Geographic Location: United States
   Presents a favorable review of PowerRite Pro 2 ($879), an
uninterruptible power supply (UPS) from Deltec Electronics Corp. of San
Diego, CA (800). Runs on either DOS, NetWare, OS/2, Unix, or Windows 3.x,
95, or NT. Explains that it is designed to protect small, single-protocol
networks. Features 1,500VA of power and notes that its response to power
failures is immediate. Offers power management software that can direct the
shut-down sequence in the event of a power failure. Notes that it can also
schedule regular power-downs for specific PCs. Reports that it worked as
promised during testing. However, complains of its inability to handle
multiprotocol environments. Concludes that this is a capable solution for
small **networks** . Includes one **photo** , one screen **display** , and one
product summary. (kgh)
   Descriptors: Power Supply; Backup; Network Management; Hardware
Review; Testing; Networks
   Identifiers: PowerRite Pro 2; Deltec Electronics

   10/5/10   (Item 7 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00417944   96NC03-003
   **Multiplatform backup: an enterprise solution -- Backups are essential to
every network administrator's job, and it's not only a job you can't take
for granted, but one that's grown...**
   Kohlhepp, Robert J
   Network Computing , March 1, 1996 , v7 n3 p56-67, 9 Page(s)
   ISSN: 1046-4468
   Company Name: Arcada Software; Cheyenne Software; Legato Systems;
Palindrome
   Product Name: Backup Exec; ARCserve; NetWorker; Backup Director
   Languages: English
   Document Type: Buyer and Vendor Guide
   Grade (of Product Reviewed): B; B; A; B
   Hardware/Software Compatibility: IBM PC Compatible; Macintosh; Unix
workstation
   Geographic Location: United States
   Introduces a buyers' guide to multiplatform backup software. Features a
table comparing the hardware support, client support, backup activation,
configuration, and management station, notification, client packs, and
autoloader program of four products from four companies. Product reviewed
and their ratings (out of five) are: Backup Exec ($149 base price) from
Arcada Software (800) - 3.30; ARCserve v6.0 ($795 base price) from Cheyenne
Software (800), which is a good server-centric network backup solution -
3.43; NetWorker ($750 base price) from Legato Systems (415), which offers a
very flexible architecture for backup scheduling and tape assignment -
4.28; and Backup Director ($349 base price) from Palindrome Corp. (800),
which is robust but not a complete solution - 2.80. Given the Editor's
Choice award was **NetWorker** . Includes four **photos** , two screen **displays**
, a table, and a **product** resource guide. (dpm)
   Descriptors: Backup; Vendor Guide; Utility Program; Interoperability;
Network Management
   Identifiers: Backup Exec; ARCserve; NetWorker; Backup Director;
Arcada Software; Cheyenne Software; Legato Systems; Palindrome

   10/5/11   (Item 8 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00364195   94WC10-007
   **IBM LaserPrinter 4039 12R plus by Lexmark: a great printer for many
needs**

Search performed by Sylvia Keys   December 15, 2003

DeVoney, Chris
Windows Sources , October 1, 1994 , v2 n10 p82-84, 2 Page(s)
ISSN: 1065-9641
Company Name: Lexmark International
Product Name: IBM LaserPrinter 4039 12R plus by Lexmark
Languages: English
Document Type: Hardware Review
Grade (of Product Reviewed): B
Hardware/Software Compatibility: IBM PC Compatible; Microsoft Windows
Geographic Location: United States
    Presents a favorable review of the IBM LaserPrinter 4039 12R plus by
Lexmark ($1,749), a laser printer from Lexmark International, Inc. of
Lexington, KY (606). Requires an IBM PC compatible with Microsoft Windows.
Reports the printer produces 12 pages per minute, and features 600-dpi
resolution, 36 built-in PCL 5 fonts, PostScript Level II, bidirectional
communications, and a 200-sheet letter-size drawer that offers many
paper-handling options. Says the printer produced good detail, clear sharp
text, and excellent gray scale images. Lauds the fact that the printer can
be monitored or controlled by any computer on the network. Warns that the
PostScript Level II page description languages are not guaranteed fully
compatible, and that remote-control functionality is not available for
Windows for Workgroups or Windows NTAS. Concludes it is a terrific **network**
 printer. Includes one **photo** , one screen **display** , and **product**
 information. (bjp)
    Descriptors: Laser   Printer;   Networks;   PostScript;   Peripherals;
Network Management; Window Software; Hardware Review
    Identifiers: IBM LaserPrinter 4039 12R plus by Lexmark;   Lexmark
International

10/5/12   (Item 9 from file: 233)
DIALOG(R)File 233:Internet & Personal Comp. Abs.
(c) 2003, EBSCO Pub. All rts. reserv.

00351853   94PI06-288
    Q&A for Windows
    Dragan, Richard V
    PC Magazine , June 28, 1994 , v13 n12 p253-258+, 4 Page(s)
    ISSN: 0888-8507
    Company Name: Symantec
    Product Name: Q&A for Windows
    Languages: English
    Document Type: Software Review
    Grade (of Product Reviewed): A
    Hardware/Software Compatibility: IBM PC Compatible; Microsoft Windows
    Geographic Location: United States
    Presents a favorable review of Q&A for Windows ($249), an end user
database from Symantec Corp. of Cupertino, CA (800, 408). Requires a
386-based PC, 4MB of RAM, 15MB of hard disk space, DOS 3.3, and Microsoft
Windows 3.1. Says it features a spreadsheet-like user interface which is
easy to use for novices as well as experienced database users, and it has
multiuser capabilities. Adds that it includes DAVE (Do Anything Very
Easily), an intelligent assistant which uses English-like statements for
querying, However, it has a nonrelational design, little access to external
data sources, and it is one of the less-powerful **databases** evaluated.
Includes a **photo** , a suitability table, a screen **display** , a **product**
 fact files, and a table comparing features. (cnr)
    Descriptors: Data Base Management; Database; Window Software;
Spreadsheet; Software Review
    Identifiers: Q&A for Windows; Symantec

4652897
 Title: Face value (desktop video conferencing)
 Author(s): Bray, P.
 Journal: Which Computer?   vol.17, no.3   p.78-80, 83
 Publication Date: March 1994 Country of Publication: UK
 CODEN: WHCOD8 ISSN: 0140-3435
 Language: English   Document Type: Journal Paper (JP)
 Treatment: General, Review (G)
 Abstract: Desktop video conferencing (DVC) systems are much more flexible
than VC. Any state-of-the-art PC, Apple Macintosh or workstation can be
converted into a desktop conference centre by plugging in a camera and an
adapter board, connecting to a digital telephone line and installing some
communications software. All the following applications-whiteboard for
sharing notes and scribbles, shared access to text and figures, connection
to a video recorder, sending high-quality still **images** , transferring
 data   files -are **available** using **products** now coming on to the market
or being pilot-tested. Some of these systems are briefly reviewed. (0
 Refs)
 Subfile: D
 Descriptors: microcomputer applications; teleconferencing
 Identifiers: data files transfer; desktop video conferencing; PC; Apple
Macintosh; workstation; camera; adapter board; digital telephone line;
communications software; whiteboard; shared access; video recorder
 Class Codes: D4060 (Teleconferencing)

00139129   87PI03-062
 ExecuVision
 Rosch, Winn L
 PC Magazine , Mar 10 1987 , v6 n5 p263, 266, 2 Pages
 ISSN: 0745-2500
 Languages: English
 Document Type: Software Review
 Grade (of Product Reviewed): D
 Hardware/Software Compatibility: IBM PC; IBM PC Compatible
 Geographic Location: United States
 Presents an unfavorable review of ExecuVision ($395), an animated
presentation graphics package, from Visual Communications Network of
Cambridge, MA (617). Requires 256K, DOS 2.0 or later, two disk drives, and
CGA or Hercules monochrome display, and runs on an IBM PC or compatible.
Includes an outdated graphics program that cannot import data directly from
spreadsheets and is "cumbersome" to use, a slide show sequencer and an
image database.   States that the highlight is the **image   database** , but
this is **available** with a better **product** , Concorde which is also sold by
Visual Communications. Says that Execuvision does not include a screen
capture function. (tjm)
    Descriptors: ANIMATION; PRESENTATION GRAPHICS; SOFTWARE REVIEW
    Identifiers: ExecuVision; Visual Communications Network

DIALOG(R)File 256:SoftBase:Reviews,Companies&Prods.
(c)2003 Info.Sources Inc. All rts. reserv.

00110213   DOCUMENT TYPE: Review

PRODUCT NAMES: ImageMate Windows 95 & Windows NT   (712353)

TITLE: Dressed for Success
AUTHOR: Garrett, Thomas
SOURCE: Inc.,   v20 n9 p29(2) Jul 1998SP
ISSN: 0162-8968
HOMEPAGE: http://www.inc.com

RECORD TYPE: Review
REVIEW TYPE: Product Analysis
GRADE: Product Analysis, No Rating

ImageMate for Windows 95/NT from ImageWare Technologies is an application
for clothing retailers that enables them to provide extremely personalized
customer service by containing a database of searchable customer profiles
with birthdays, professions, measurements, preferred colors, and a host of
other personal information. An inventory-tracking function allows store
owners to automatically tabulate salespeople's commissions based on data
input at the point of sale. Digitized **images** can be **stored** in the
database, automated office scheduling is generated whenever a salesperson
inputs a request for tailoring or back- **ordering** , and daily **calendar** and
tickler applications are created to notify staff of each customer's order
status. The included word processor comes with many templates customized
for apparel work, and built-in telemarketing functions include autodialing
and prewritten scripts based on each customer's personalized information.
Digital photographs integrated into ImageMate are taken of customers'
purchases or even of when they wear various outfits, each stored for
instant recall the next time the customer enters the store, in order to
best advise them on future sales.

COMPANY NAME: Symbol Technologies Inc (525111)
DESCRIPTORS: Apparel Industry; Graphics Tools; IBM PC & Compatibles; Image
    Processing; Personalization; Point of Sale; Retailers; Windows; Windows
    NT/2000
REVISION DATE: 20030925

```
'File 348:EUROPEAN PATENT    978-2003/Nov W05
        (c) 2003 European Patent Office
File 350:Derwent WPIX 1963-2003/UD,UM &UP=200380
        (c) 2003  Thomson Derwent
File 349:PCT FULLTEXT 1979-2002/UB=20031211,UT=20031204
        (c) 2003 WIPO/Univentio
File 347:JAPIO Oct 1976-2003/Aug(Updated 031202)
        (c) 2003 JPO & JAPIO
File 344:Chinese Patents Abs Aug 1985-2003/Nov
        (c) 2003 European Patent Office
?ds

Set     Items   Description
S1          8   AU='LINKER D':AU='LINKER F'
S2          6   S1 AND IMAGE?
```

01322599
**Method and system for automatically displaying an *image* and a product in
    a page based on contextual interaction and metadata**
**Auf kontextueller Interaktion und Metadata basierendes Verfahren und System
    zum automatischen Anzeigen eines Bildes und eines Produkts auf einer
    Seite**
**Methode et systeme pour afficher automatiquement une *image* et un produit
    dans une page, en se basant sur une interaction contextuelle et des
    meta-donnees**
PATENT ASSIGNEE:
  CORBIS CORPORATION, (1717990), 15395 S.E. 30th Place, #300, Bellevue,
    Washington 98007-6537, (US), (Applicant designated States: all)
INVENTOR:
  Linker, Debra L., 1430-248th Avenue SE, Issaquah, Washington 98029,
    (US)
  Gelfuso, Jeffrey Vincent, 24251 SE 9th Street, Sammamish, Washington
    98029, (US)
  Land, Stephen D., 532-31st Avenue, Seattle, Washinton 98122, (US)
  Radcliffe, William T., 7015-150th Avenue NE, Redmond, Washington 98052,
    (US
LEGAL REPRESENTATIVE:
  Wiklund, Erik et al (24531), AWAPATENT AB, Box 5117, 200 71 Malmo, (SE)
PATENT (CC, No, Kind, Date): EP 1130525 A2   010905 (Basic)
APPLICATION (CC, No, Date):   EP 2000850151 000922;
PRIORITY (CC, No, Date): US 517134 000302
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: G06F-017/30; G06F-017/60
ABSTRACT WORD COUNT: 219
NOTE:
  Figure number on first page: 17

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200136	2528
SPEC A	(English)	200136	6999
Total word count - document A			9527
Total word count - document B			0
Total word count - documents A + B			9527

**Method and system for automatically displaying an *image* and a product in
    a page based on contextual interaction and metadata**
**Methode et systeme pour afficher automatiquement une *image* et un produit
    dans une page, en se basant sur une interaction contextuelle et des...**
INVENTOR:
  Linker, Debra L...

...ABSTRACT A2
    The invention provides a method, system and computer-readable medium
  for storing *images* with related information in a relational database
  and using the information to order available products for a selected
  image over a network. Tag and business information may be associated
  with an *image* in the database and a unique *image* identifier is
  generated for each *image*. Different types of searches of the relational
  database may be performed including product based and *image* based.
  Affirmative results from searches are returned as *images* and/or
  products that are displayed in pages. The returned *images* also include
  information indicating available products. The selection of a returned
  image causes a cut-down version of the *image* and all of the available
  products to be displayed in the same page. When an...

...and products that are displayed to the user. A combination of user
  information, product information, *image* information and contextual

(a) displaying a representation of the product in response to receiving
    contextual interaction information, the product being associated with
    information indicating each *image* that is available for use with
    the product;
(b) in response to selecting the displayed...

...employing the information associated with the product to display at
    least a portion of the *images* available for use with the product;
    and
(d) when the *image* is selected, enabling the product available for use
    with the *image* to be ordered by a user.
68. A system for placing an order for a product associated with an
    image over a network, comprising
(a) a server for implementing logical actions, including:
(i) in response to receiving contextual interaction information from a
    client, providing the *image* to the client, the *image* being
    associated with information that indicates each available product for
    the *image*; and
(ii) in response to a request to order the available product for the
    image, enabling the product to be provided; and
(b) the client for implementing logical actions, including:
(i) providing the contextual interaction information to the server;
(ii) in response to receiving the *image*, automatically employing the
    information associated with the *image* to generate a representation
    of each product that is available for the *image*;
(iii) automatically displaying the *image* and the representation of
    each product that is available for the *image* in a page; and
(iv) when the representation of an available product is selected in the
    displayed page, enabling the available product for the *image* to be
    ordered from the server.
69. A method for enabling a product associated with...

 2/3,K/2   (Item 2 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

01246084
Method and system for obtaining *images* from a database having *images*
     that are relevant to indicated text
Verfahren und System zum Erhalten von zu einem selektierten Text relevanten
     Bildern aus einer Datenbank
Methode et systeme pour obtenir des *images* pertinentes a un texte indique
     dans une base de donnees
PATENT ASSIGNEE:
  CORBIS CORPORATION, (1717990), 15395 S.E. 30th Place, #300, Bellevue,
    Washington 98007-6537, (US), (Applicant designated States: all)
INVENTOR:
  Land, Stephen D., 532 - 31st Avenue, Seattle, Washington 98122, (US)
  Linker, Debra L., 1430 - 248th Avenue SE, Issaquah, Washington 98029,
    (US)
  Lindsey, Roland C., 17414 SE 158th Avenue, Renton, Washington 98058, (US)
  Stratmeyer, Curtis M., 811 - 165th Avenue NE, Bellevue, Washington 98008,
    (US)
  Craig, Michael D., 465 SW Normandy Road, Seattle, Washington 98116, (US
LEGAL REPRESENTATIVE:
  Perklev, Karin Cecilia et al (73091), AWAPATENT AB, P.O. Box 5117, 200 71
    Malmo, (SE)
PATENT (CC, No, Kind, Date): EP 1077414 A2 010221 (Basic)
APPLICATION (CC, No, Date):   EP 850139 000817;
PRIORITY (CC, No, Date): US 376748 990817
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: G06F-017/30
ABSTRACT WORD COUNT: 228
NOTE:
  Figure number on first page: 1

purchase of a high quality *image* associated with the related
image.

48. A system for obtaining an *image* from a database for pasting into a
    document, the *image* being related to indicated text, comprising:
    (a) a client process for causing functions to be...

...providing the query to the search engine, the search engine searching
    the database for an *image* that is related to the indicated text;
    (iii) enabling a display of at least one related *image* indicated by
    the result from the query, the display of a related *image* being
    selectable for insertion into the document; and
    (iv) displaying the related *image* that is inserted into the document,
    the related *image* being associated with the indicated text in the
    document; and.
    (b) a server process for...
...the result from the query of the database, the result indicating when at
    least one *image* is related to the indicated text; and
    (ii) enabling the search engine to locate at least one *image* in the
    database that is related to the indicated text.

49. The system of Claim...

...the client process causes further functions to be performed, comprising:

    (a) indicating a higher quality *image* of the related *image* is to be
    purchased over a network;
    (b) providing financial information to an electronic commerce service
    over the network, the electronic commerce service enabling the
    purchase of the higher quality *image* when the financial information
    is complete; and
    (c) inserting the purchased higher quality *image* into the document so
    that the higher quality *image* is displayed with the indicated text.

50. A computer readable medium having computer-executable components...

...providing the query to the search engine, the search engine searching
    the database for an *image* that is related to the indicated text;
    (c) a component for returning the result from the query of the database,
    the result indicating when at least one *image* is related to the
    indicated text;
    (d) a component for enabling the display of at least one related *image*
    indicated by the result from the query, the display of the related
    image being selectable for insertion into the document; and
    (e) a component for displaying the related *image* that is inserted into
    the document, so that the related *image* is associated with the
    indicated text in the document.

51. Method for electronically purchasing an *image* over a network,
    comprising:
    (a) automatically creating a query related to an indicated object, the
    ...

...query to the search engine, the search engine searching the database for
    at least one *image* that is related to the indicated object;
    (c) returning the result from the query of the database, the result
    indicating when at least one *image* is related to the indicated
    object;
    (d) indicating a related *image* is to be purchased over the network,
    financial information being provided to an electronic commerce
    service that enables the purchase of the related *image* when the
    financial information is complete; and
    (e) when the related *image* is purchased, enabling a display of the
    related *image*, so that the related *image* may be associated with
    the indicated object.

52. The method of Claim 51, wherein the...

'00361945
Laser catheter delivery system.
Mit Laser versehene Kathetervorrichtung.
Catheter equipe de laser.
PATENT ASSIGNEE:
  Angelsen, Bjorn A. J., (833930), Anders Tvereggens veg 34, N-7000
    Trondheim, (NO), (applicant designated states:
    AT;BE;CH;DE;ES;FR;GB;GR;IT;LI;LU;NL;SE)
  Linker, David, (1071480), Kofoedgeilan 10a, N-7018 Trondheim, (NO),
    (applicant designated states: AT;BE;CH;DE;ES;FR;GB;GR;IT;LI;LU;NL;SE)
INVENTOR:
  Angelsen, Bjorn A. J., Anders Tvereggens veg 34, N-7000 Trondheim, (NO)
  Linker, David, Kofoedgeilan 10a, N-7018 Trondheim, (NO
LEGAL REPRESENTATIVE:
  Bowman, Paul Alan et al (28541), LLOYD WISE, TREGEAR & CO. Norman House
    105-109 Strand, London WC2R OAE, (GB)
PATENT (CC, No, Kind, Date): EP 329492 A2 890823 (Basic)
                                EP 329492 A3 900801
APPLICATION (CC, No, Date): EP 89301638 890220;
PRIORITY (CC, No, Date): US 157407 880218
DESIGNATED STATES: AT; BE; CH; DE; ES; FR; GB; GR; IT; LI; LU; NL; SE
INTERNATIONAL PATENT CLASS: A61B-017/22; A61B-008/12;
ABSTRACT WORD COUNT: 299

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF1	1411
SPEC A	(English)	EPABF1	4398
Total word count - document A			5809
Total word count - document B			0
Total word count - documents A + B			5809

INVENTOR:
... NO)
  Linker, David...

...ABSTRACT so that the laser beam (207) can be steered towards a portion
of the ultrasound *image* indicating a portion of an atheroma (208) to
ablate said portion of the atheroma
  - receive...

...process the backscattered ultrasound for imaging of the tissue
structures
  - means for analysing said ultrasound *image*, either manually or
automatically, to determine the presence of atheroma so that said *image*
can be used to direct the laser beam towards the regions in the
ultrasound *image* which have been determined to represent a portion of
an atheroma and determine the intensity...

...SPECIFICATION and the laser beam are related so that the ultrasound beam
can be used to *image* the atheroma and the arterial wall, and the laser
beam can be directed in any selected direction in the *image*, especially
directions where an atheroma is indicated, for controlled ablation of the
atheroma. This can...

...the two beams, the laser beam can be steered to a known direction in the
image generated by the ultrasonic beam. Coincident directions of the
beam can be obtained by
    i...

...a method by which the beam directions are not coinciding, but
interrelated so that the *image* obtained by the ultrasound beam can be
used as a reference for guiding the laser...

...beam direction can be scanned in a plane to generate a 2-dimensional
cross section *image* of the atheroma and the artery, as illustrated in
Fig. 7.
    iii) The 2-dimensional...

6. System according   claim 5 , comprising ultrasou●image* display
and analysis means which generates input signals to laser controller
means which on the...

...direction of the laser beam relative to any portion of an atheroma
indicated in the *image*, provides control signals for controlling
the intensity and/or pulse timing of said laser beam...

...if the laser beam is directed towards a portion of an atheroma indicated
in the *image* the laser beam is turned on with adequate intensity
and/or pulse timing for accurate...
...beam directing means is arranged to scan the ultrasound beam so that
2-dimensional ultrasound *images* of tissue structures like the
atheroma, vessel wall, and surrounding tissue can be obtained, and
used to obtain a 2-dimensional ultrasound *image*, and the laser beam
is afterwards steered towards directions in the *image* showing
atheroma and controlled in intensity for limited time pulsing in
order to partially ablate the atheroma, and a second ultrasound
image is generated after the laser irradiation for observation of
the effect of the ablation.
11...

...beam directing means is arranged to scan the ultrasound beam so that
2-dimensional ultrasound *images* of tissue structures like the
atheroma, vessel wall, and surrounding tissue can be obtained, and...

...beam, so that the laser beam can be steered towards a portion of the
ultrasound *image* indicating an atheroma to hit said portion of the
atheroma.
12. System according to claim...

...beam with a time lag, and the ultrasound beam is updating one portion of
the *image* while the laser beam is directed at another portion of
the *image* ready to do laser ablation while the *image* is being
updated in the other direction, and after a full scan the ultrasound
beam and the laser beam directions have swept the whole *image*
field.
13. System according to claim 5, comprising means for ultrasound
Doppler measurement of blood...

...beam directing means is arranged to scan the ultrasound beam so that
2-dimensional ultrasound *images* of tissue structures like the
atheroma, vessel wall, and surrounding tissue can be obtained, and
...

...beam directing means is arranged to scan the ultrasound beam so that
2-dimensional ultrasound *images* of tissue structures like the
atheroma, vessel wall, and surrounding tissue can be obtained, and...

...beam so that the laser beam can be steered towards a portion of the
ultrasound *image* indicating an atheroma to hit said portion of the
atheroma.   ...

2/3,K/4   (Item 1 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014345037   **Image available**
WPI Acc No: 2002-165740/200222
XRPX Acc No: N02-126565
  **Distribution of products associated with *image* through network,
  involves automatically employing content of interaction to det rmine
  image to be displayed**
Patent Assignee: CORBIS CORP (CORB-N)
Inventor: GELFUSO J V; LAND S D; *LINKER D L*; RADCLIFFE W T
Number of Countries: 025 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week

EP 1130525   A2 20010   EP 2000850151   A   20000922●00222   B
Priority Applications (No Type Date): US 2000517134 A 20000302
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
EP 1130525   A2 E 29 G06F-017/30
      Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
      LI LT LU LV MC MK NL PT RO SE SI

    **Distribution of products associated with *image* through network,
    involves automatically employing content of interaction to determine
    image to be displayed**
...:Inventor: *LINKER D L*

Abstract (Basic):
...   Content of an interaction is employed to determine an *image* to
    be displayed, which is associated with the information indicating each
    product that is available for use with the *image*. Information
    associated with *image* is employed automatically to generate a
    representation of each product. The *image* and the representation is
    automatically displayed in a page for providing available product on
    selection.
...   a) Computer readable medium with instruction for enabling the
    product associated with *image* to be provided to user...

...b) System for enabling a product associated with an *image* to be
    provided to user...

...c) Method for enabling a product associated with an *image* to be
    ordered over a network...

...d) System for placing an order for a product associated with *image*
    over a network...

...For enabling product associated with *image* to be provided to user such
    as picture, electronic postcard, poster, slide show, puzzle, screen
    saver, calendar, cup, stationary, invitation, presentation, also for
    browsing relational database with products or *image* based searches,
    subscription pushes and hyperlinks that are associated with products or
    categories...

...Enables updated information related to new products and *images* to be
    sent to a subscriber. Enables the presentation of available *images*
    and related products to be customized according to the type of
    subscription that a user...
...Title Terms: *IMAGE*;

 2/3,K/5   (Item 2 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014013879
WPI Acc No: 2001-498093/200155
XRPX Acc No: N01-369143
    **Method of searching a database for an *image* related to indicated text
    automatically creates a query usable by a search engine to search the
    database and produce a relevant *image***
Patent Assignee: CORBIS CORP (CORB-N)
Inventor: CRAIG M D; LAND S D; LINDSEY R C; *LINKER D L*; STRATMEYER C M
Number of Countries: 025 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
EP 1077414   A2   20010221 EP 2000850139   A   20000817 200155   B

Priority Applications (No Type Date): US 99376748 A 19990817
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
EP 1077414   A2 E 20 G06F-017/30

Designated States (Re█████al): AL AT BE CH CY DE DK ES R-GB GR IE IT
LI LT LU LV MC MK NL PT RO SE SI

**Method of searching a database for an *image* related to indicated text
automatically creates a query usable by a search engine to search the
database and produce a relevant *image***
...Inventor: *LINKER D L*

Abstract (Basic):
...   Selected text is used automatically to generate a query
    searching for related *images* in a database. The *images* may include
    video and audio. An *image* is located in the database by a search
    engine and a thumbnail or higher quality *image* is associated with the
    text. An electronic purchase system may be used to purchase high
    quality versions of the *image* from the database owners for insertion
    in the text. A data handling software component is used to handle the
    information returned from a search and converting this into a displayed
    image. Other software components handle other aspects of the data
    manipulations.
...   a) a system for obtaining an *image* from a database for pasting
    into a document...

...b) a computer readable medium carrying instructions for obtaining an
    image from a database for pasting into a document...

...c) and a method for electronically purchasing an *image* ver a network
    ...

...Obtaining *images* relating to specified text automatically...
...Title Terms: *IMAGE*;

2/3,K/6   (Item 3 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2003   Thomson Derwent. All rts. reserv.

007978268   **Image available**
WPI Acc No: 1989-243380/198934
XRPX Acc No: N89-185506
  **Laser catheter delivery system for controlled ablation of atheroma -
  includes ultrasound transducer for intra-arterial imaging by emitting
  pulsed beam towards tissues and receiving ultrasound from tissues**
Patent Assignee: ANGELSEN B A J (ANGE-I)
Inventor: *LINKER D*
Number of Countries: 014   Number of Patents: 002
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 329492	A	19890823	EP 89301638	A	19890220	198934	B
US 4887605	A	19891219	US 88157407	A	19880218	199008	

Priority Applications (No Type Date): US 88157407 A 19880218
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
EP 329492	A	E	14		

    Designated States (Regional): AT BE CH DE ES FR GB GR IT LI LU NL SE

| US 4887605 | A | | 12 | | |

Inventor: *LINKER D*

...Abstract (Basic): imaging, so that the laser beam can be steered towards
    a portion of the ultrasound *image* indicating a portion of an atheroma
    to ablate the portion of the atheroma...
...Abstract (Equivalent): for imaging of the tissue structures, and there
    is also apparatus for analysing the ultrasound *image*, either manually
    or automatically, to determine the presence of atheroma so that the
    image can be used to direct the laser beam towards the regions in the
    ultrasound *image* which have been determined to represent a portion of
    an atheroma and determine the intensity...
...Title Terms: *IMAGE*;

```
File 344:Chinese Patents Abs Aug 1985-2003/Nov
         (c) 2003 European Patent Office
File 347:JAPIO Oct 1976-2003/Aug(Updated 031202)
         (c) 2003 JPO & JAPIO
File 350:Derwent WPIX 1963-2003/UD,UM &UP=200380
         (c) 2003  Thomson Derwent
File 348:EUROPEAN PATENTS 1978-2003/Nov W05
         (c) 2003 European Patent Office
File 349:PCT FULLTEXT 1979-2002/UB=20031211,UT=20031204
         (c) 2003 WIPO/Univentio
?ds

Set      Items    Description
S1         21     AU='LAND S':AU='LAND T'
S2          4     S1 AND IMAGE?
S3          3     AU='GELFUSO J V':AU='GELGAFT Y U M'
S4          2     S3 AND IMAGE?
S5         19     AU='RADCLIFFE W':AU='RADCLILFF D C'
S6          3     S5 AND IMAGE?
```

014013879
WPI Acc No: 2001-498093/200155
XRPX Acc No: N01-369143
   Method of searching a database for an image **related to indicated text
   automatically creates a query usable by a search engine to search the
   database and produce a relevant** image
Patent Assignee: CORBIS CORP (CORB-N)
Inventor: CRAIG M D; **LAND S D** ; LINDSEY R C; LINKER D L; STRATMEYER C M
Number of Countries: 025 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
EP 1077414	A2	20010221	EP 2000850139	A	20000817	200155	B

Priority Applications (No Type Date): US 99376748 A 19990817
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
EP 1077414	A2	E	20	G06F-017/30	

   Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
   LI LT LU LV MC MK NL PT RO SE SI

   Method of searching a database for an image **related to indicated text
   automatically creates a query usable by a search engine to search the
   database and produce a relevant** image
...Inventor: **LAND S D**

Abstract (Basic):
...   Selected text is used automatically to generate a query
   searching for related **images** in a database. The **images** may include
   video and audio. An **image** is located in the database by a search
   engine and a thumbnail or higher quality **image** is associated with the
   text. An electronic purchase system may be used to purchase high
   quality versions of the **image** from the database owners for insertion
   in the text. A data handling software component is used to handle the
   information returned from a search and converting this into a displayed
    image . Other software components handle other aspects of the data
   manipulations.
...   a) a system for obtaining an **image** from a database for pasting
   into a document...

...b) a computer readable medium carrying instructions for obtaining an
    image from a database for pasting into a document...

...c) and a method for electronically purchasing an **image** ver a network
   ...

...Obtaining **images** relating to specified text automatically...
...Title Terms: **IMAGE** ;

 2/3,K/3   (Item 1 from file: 348)

01322599
Method and system for automatically displaying an image **and a product in
   a page based on contextual interaction and metadata**
**Auf kontextueller Interaktion und Metadata basierendes Verfahren und System
   zum automatischen Anzeigen eines Bildes und eines Produkts auf einer
   Seite**
Methode et systeme pour afficher automatiquement une image **et un produit
   dans une page, en se basant sur une interaction contextuelle et des
   meta-donnees**

of a displayed **image** , displaying a product page that includes the
representation of each available product for the selected **image** .
47. The method of Claim 46, wherein the available product includes
picture, electronic postcard, poster...

...in response to a selection of the representation of the available
product for the selected **image** , displaying a create page that
includes a representation for each option associated with the
selected product for the selected **image** .
49. The method of Claim 48, wherein an option for the selected product,
includes at...

...method of Claim 55, further comprising employing the profile to
customize the display of the **image** , a current user being associated
with the profile.
57. The method of Claim 55, further...63. The method of Claim 43, further
comprising associating another type of data with the **image** in the
relational database, the other data type including video, sound and
graphic.
64. The method of Claim 43, wherein the **image** is formatted and stored
in the database as a picture, the format including JPEG, GIF and PIC.

65. The method of Claim 43, wherein the **image** is formatted and stored
in the database as a movie, the format including MPEG, QTM...
...methods recited in Claim 43.
67. A method for enabling a product associated with an **image** to be
ordered over a network, comprising:
(a) displaying a representation of the product in response to receiving
contextual interaction information, the product being associated with
information indicating each **image** that is available for use with
the product;
(b) in response to selecting the displayed...

...employing the information associated with the product to display at
least a portion of the **images** available for use with the product;
and
(d) when the **image** is selected, enabling the product available for use
with the **image** to be ordered by a user.
68. A system for placing an order for a product associated with an **image**
over a network, comprising
(a) a server for implementing logical actions, including:
(i) in response to receiving contextual interaction information from a
client, providing the **image** to the client, the **image** being
associated with information that indicates each available product for
the **image** ; and
(ii) in response to a request to order the available product for the
image , enabling the product to be provided; and
(b) the client for implementing logical actions, including:
(i) providing the contextual interaction information to the server;
(ii) in response to receiving the **image** , automatically employing the
information associated with the **image** to generate a representation
of each product that is available for the **image** ;
(iii) automatically displaying the **image** and the representation of
each product that is available for the **image** in a page; and
(iv) when the representation of an available product is selected in the
displayed page, enabling the available product for the **image** to be
ordered from the server.
69. A method for enabling a product associated with...

2/3,K/4   (Item 2 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2003 European Patent Office. All rts. reserv.

01246084

Method and system for obtaining images **from a database having** images
that are relevant to indicated text
Verfahren und System zum Erhalten von zu einem selektierten Text relevanten
Bildern aus einer Datenbank
Methode et systeme pour obtenir des images pertinentes a un texte indique
dans une base de donnees

PATENT ASSIGNEE:
  CORBIS CORPORATION, (1717990), 15395 S.E. 30th Place, #300, Bellevue,
    Washington 98007-6537, (US), (Applicant designated States: all)
INVENTOR:
  Land, Stephen D. , 532 - 31st Avenue, Seattle, Washington 98122, (US)
  Linker, Debra L., 1430 - 248th Avenue SE, Issaquah, Washington 98029,
    (US)
  Lindsey, Roland C., 17414 SE 158th Avenue, Renton, Washington 98058, (US)
  Stratmeyer, Curtis M., 811 - 165th Avenue NE, Bellevue, Washington 98008,
    (US)
  Craig, Michael D., 465 SW Normandy Road, Seattle, Washington 98116, (US
LEGAL REPRESENTATIVE:
  Perklev, Karin Cecilia et al (73091), AWAPATENT AB, P.O. Box 5117, 200 71
    Malmo, (SE)
PATENT (CC, No, Kind, Date): EP 1077414 A2 010221 (Basic)
APPLICATION (CC, No, Date): EP 850139 000817;
PRIORITY (CC, No, Date): US 376748 990817
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: G06F-017/30
ABSTRACT WORD COUNT: 228
NOTE:
 Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200108	2181
SPEC A	(English)	200108	6443
Total word count - document A			8624
Total word count - document B			0
Total word count - documents A + B			8624

Method and system for obtaining images **from a database having** images
that are relevant to indicated text
Methode et systeme pour obtenir des images **pertinentes a un texte indique**
dans une base de donnees
INVENTOR:
  Land, Stephen D ...

...ABSTRACT for using indicated text to automatically query a search engine
  for a database and return **images** that are relevant to the indicated
  text. At least five integrated components are employed by a client
  program to get, view and use a returned **image** . A user interface
  component provides for automatically creating search criteria for a query
  from the indicated text and inserting a thumbnail or higher quality
  image into an open document. A metadata results component provides for
  managing the storing, parsing and displaying of the metadata results
  returned from a query of the database of **images** . A navigation component
  provides for managing user interface navigation elements that are
  employed to control the display of the results (thumbnail **images**) of
  the query, e.g., play, stop, back and next controls. An **image** binary
  data component provides for managing the display of returned **images** and
  managing the storage of the binary **image** data for the thumbnail and
  higher quality **images** . Also, a network component provides for detecting
  the presence of a network and its settings...

...be used to purchase higher quality versions (improved resolution and/or

DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014345037   **Image available**
WPI Acc No: 2002-165740/200222
XRPX Acc No: N02-126565
   Distribution of products associated with image **through network,**
   involves automatically employing content of interaction to determine
   image **to be displayed**
Patent Assignee: CORBIS CORP (CORB-N)
Inventor: **GELFUSO J V** ; LAND S D; LINKER D L; RADCLIFFE W T
Number of Countries: 025 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
EP 1130525   A2 20010905 EP 2000850151   A   20000922 200222 B

Priority Applications (No Type Date): US 2000517134 A 20000302
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
EP 1130525   A2 E 29 G06F-017/30
   Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
   LI LT LU LV MC MK NL PT RO SE SI

   Distribution of products associated with image **through network,**
   involves automatically employing content of interaction to determine
   image **to be displayed**
Inventor: **GELFUSO J V** ...

Abstract (Basic):
...   Content of an interaction is employed to determine an **image** to
   be displayed, which is associated with the information indicating each
   product that is available for use with the **image** . Information
   associated with **image** is employed automatically to generate a
   representation of each product. The **image** and the representation is
   automatically displayed in a page for providing available product on
   selection.
...   a) Computer readable medium with instruction for enabling the
   product associated with **image** to be provided to user...

...b) System for enabling a product associated with an **image** to be
   provided to user...

...c) Method for enabling a product associated with an **image** to be
   ordered over a network...

...d) System for placing an order for a product associated with **image**
   over a network...

...For enabling product associated with **image** to be provided to user such
   as picture, electronic postcard, poster, slide show, puzzle, screen
   saver, calendar, cup, stationary, invitation, presentation, also for
   browsing relational database with products or **image** based searches,
   subscription pushes and hyperlinks that are associated with products or
   categories...

...Enables updated information related to new products and **images** to be
   sent to a subscriber. Enables the presentation of available **images**
   and related products to be customized according to the type of
   subscription that a user...
...Title Terms: **IMAGE** ;

01322599
Method and system for automatically displaying an image **and a product in a page based on contextual interaction and metadata**
Auf kontextueller Interaktion und Metadata basierendes Verfahren und System zum automatischen Anzeigen eines Bildes und eines Produkts auf einer Seite
Methode et systeme pour afficher automatiquement une image **et un produit dans une page, en se basant sur une interaction contextuelle et des meta-donnees**
PATENT ASSIGNEE:
  CORBIS CORPORATION, (1717990), 15395 S.E. 30th Place, #300, Bellevue, Washington 98007-6537, (US), (Applicant designated States: all)
INVENTOR:
  Linker, Debra L., 1430-248th Avenue SE, Issaquah, Washington 98029, (US)
  Gelfuso, Jeffrey Vincent , 24251 SE 9th Street, Sammamish, Washington 98029, (US)
  Land, Stephen D., 532-31st Avenue, Seattle, Washinton 98122, (US)
  Radcliffe, William T., 7015-150th Avenue NE, Redmond, Washington 98052, (US
LEGAL REPRESENTATIVE:
  Wiklund, Erik et al (24531), AWAPATENT AB, Box 5117, 200 71 Malmo, (SE)
PATENT (CC, No, Kind, Date): EP 1130525 A2 010905 (Basic)
APPLICATION (CC, No, Date): EP 2000850151 000922;
PRIORITY (CC, No, Date): US 517134 000302
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: G06F-017/30; G06F-017/60
ABSTRACT WORD COUNT: 219
NOTE:
  Figure number on first page: 17

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200136	2528
SPEC A	(English)	200136	6999
Total word count - document A			9527
Total word count - document B			0
Total word count - documents A + B			9527

Method and system for automatically displaying an image **and a product in a page based on contextual interaction and metadata**
Methode et systeme pour afficher automatiquement une image **et un produit dans une page, en se basant sur une interaction contextuelle et des...**
INVENTOR:
... US)
  Gelfuso, Jeffrey Vincent ...

...ABSTRACT A2
  The invention provides a method, system and computer-readable medium for storing **images** with related information in a relational database and using the information to order available products for a selected **image** over a network. Tag and business information may be associated with an **image** in the database and a unique **image** identifier is generated for each **image** . Different types of searches of the relational database may be performed including product based and **image** based. Affirmative results from searches are returned as **images** and/or products that are displayed in pages. The returned **images** also include information indicating available products. The selection of a returned **image** causes a cut-down version of the **image** and all of the available products to be displayed in the same page. When an...

DIALOG(R)File 350:Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.

014345037   **Image available**
WPI Acc No: 2002-165740/200222
XRPX Acc No: N02-126565
   Distribution of products associated with image **through network,**
   involves automatically employing content of interaction to determine
   image **to be displayed**
Patent Assignee: CORBIS CORP (CORB-N)
Inventor: GELFUSO J V; LAND S D; LINKER D L; **RADCLIFFE W T**
Number of Countries: 025 Number of Patents: 001
Patent Family:
Patent No   Kind   Date   Applicat No   Kind   Date   Week
EP 1130525   A2   20010905 EP 2000850151 A   20000922 200222 B

Priority Applications (No Type Date): US 2000517134 A 20000302
Patent Details:
Patent No Kind Lan Pg   Main IPC   Filing Notes
EP 1130525   A2 E   29 G06F-017/30
   Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT
   LI LT LU LV MC MK NL PT RO SE SI

   Distribution of products associated with image **through network,**
   involves automatically employing content of interaction to determine
   image **to be displayed**
...Inventor: **RADCLIFFE W T**

Abstract (Basic):
...   Content of an interaction is employed to determine an **image** to
   be displayed, which is associated with the information indicating each
   product that is available for use with the **image** . Information
   associated with **image** is employed automatically to generate a
   representation of each product. The **image** and the representation is
   automatically displayed in a page for providing available product on
   selection.
...   a) Computer readable medium with instruction for enabling the
   product associated with **image** to be provided to user...

...b) System for enabling a product associated with an **image** to be
   provided to user...

...c) Method for enabling a product associated with an **image** to be
   ordered over a network...

...d) System for placing an order for a product associated with **image**
   over a network...

...For enabling product associated with **image** to be provided to user such
   as picture, electronic postcard, poster, slide show, puzzle, screen
   saver, calendar, cup, stationary, invitation, presentation, also for
   browsing relational database with products or **image** based searches,
   subscription pushes and hyperlinks that are associated with products or
   categories...

...Enables updated information related to new products and **images** to be
   sent to a subscriber. Enables the presentation of available **images**
   and related products to be customized according to the type of
   subscription that a user...
...Title Terms: **IMAGE ;**

6/3,K/2   (Item 2 from file: 350)

011140155   **Image available**
WPI Acc No: 1997-118079/199711
XRAM Acc No: C97-038052
XRPX Acc No: N97-097332
   Ink ribbon supply cartridge partic. for magnetic image **character**
   recognition ink - comprises ribbon roll wound on core with side
   protectors held by frame with exit slot and aperture for entry of used
   ribbon being wound on take-up spool
Patent Assignee: NER DATA PROD INC (NERD-N)
Inventor: MORARKA K M; **RADCLIFFE W W**
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week	
US 5599115	A	19970204	US 95431339	A	19950428	199711	B

Priority Applications (No Type Date): US 95431339 A 19950428
Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
US 5599115	A		7	B41J-035/28	

   Ink ribbon supply cartridge partic. for magnetic image **character**
   recognition ink...
...Inventor: **RADCLIFFE W W**

...Abstract (Basic): USE - Partic. for ribbon carrying magnetic **image**
   character recognition ink e.g. for printing chequebooks, but also for
   other systems handling ribbons...
...Title Terms: **IMAGE ;**

   6/3,K/3   (Item 1 from file: 348)

01322599
Method and system for automatically displaying an image **and a product in**
   a page based on contextual interaction and metadata
Auf kontextueller Interaktion und Metadata basierendes Verfahren und System
   zum automatischen Anzeigen eines Bildes und eines Produkts auf einer
   Seite
Methode et systeme pour afficher automatiquement une image **et un produit**
   dans une page, en se basant sur une interaction contextuelle et des
   meta-donnees
PATENT ASSIGNEE:
  CORBIS CORPORATION, (1717990), 15395 S.E. 30th Place, #300, Bellevue,
    Washington 98007-6537, (US), (Applicant designated States: all)
INVENTOR:
  Linker, Debra L., 1430-248th Avenue SE, Issaquah, Washington 98029, (US)
  Gelfuso, Jeffrey Vincent, 24251 SE 9th Street, Sammamish, Washington
    98029, (US)
  Land, Stephen D., 532-31st Avenue, Seattle, Washinton 98122, (US)
   Radcliffe, William T. , 7015-150th Avenue NE, Redmond, Washington 98052,
    (US
LEGAL REPRESENTATIVE:
  Wiklund, Erik et al (24531), AWAPATENT AB, Box 5117, 200 71 Malmo, (SE)
PATENT (CC, No, Kind, Date): EP 1130525 A2 010905 (Basic)
APPLICATION (CC, No, Date):   EP 2000850151 000922;
PRIORITY (CC, No, Date): US 517134 000302
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: G06F-017/30; G06F-017/60

                    Search performed by Sylvia Keys   December 15, 2003